

Teaching climate risk for water planning: a pilot training for tertiary students and practitioners in Brazil

Pablo Borges de Amorim¹, Pedro Luiz Borges Chaffe²

5 ¹Graduate Program in Environmental Engineering, Federal University of Santa Catarina (UFSC), Florianópolis, 88.040-970, Brazil.

²Department of Sanitary and Environmental Engineering, Federal University of Santa Catarina (UFSC), Florianópolis, 88.040-970, Brazil.

10 *Correspondence to:* Pablo Borges de Amorim (borgesdeamorim.pablo@gmail.com)

Abstract. Climate change is one of the major challenges of our society thus educational resources on climate risk and adaptation are needed. In this case study, we present a short-duration face-to-face training for water professionals tertiary students and practitioners about the Intergovernmental Panel on Climate Change (IPCC)'s climate risk framework. The training uses Problem-Based Learning (PBL) pedagogy, and its suitability and benefits are evaluated with observational qualitative observation analysis and self-assessment of knowledge of the tertiary students and practitioners participants off from 5 independent groups in Brazil. We find that the application of a mapping exercise using the IPCC's climate risk framework supports learning about climate risk, as well as data interpretation, creativity, teamwork, communication, and critical thinking by the participants. This work merges the IPCC's climate risk framework and PBL for climate risk training. The proposed training enables the teaching of climate risk in stand-alone courses and professional development training in areas which climate is an embedded component.

1. Introduction

Climate change is one of the major challenges that society is facing in the 21st century (Leal Filho, 2010; IPCC, 2018). The need for climate change education has been emphasized in several international agreements, such as the World Conference on Education for Sustainable Development in Aichi-Nagoya (Buckler et al., 2014), the United Nations Framework Convention on Climate Change, and the Paris Agreement (Leal Filho and Hemstock, 2019). To tackle the United Nations' Sustainable Development Goal 13: Climate Action (SDG 13, United Nations, 2016), UNESCO (2017) suggests special attention should be given to climate risk management.

Climate risk management integrates climate-related information into decision-making to decrease the potential of damages and losses (Travis and Bates, 2014). National and international climate initiatives increasingly recommend climate risk assessments for adaptation planning (Brazil 2016, IPCC, 2018; Sherbinin et al., 2019; Travis and Bates, 2014). The climate

risk framework of the Intergovernmental Panel on Climate Change (IPCC) is commonly used to map risks and assess adaptation options (IPCC, 2014; Sherbinin et al., 2019). However, these are complex activities that require not only factual knowledge about climate change but also problem-solving skills like the interpretation of data, teamwork, communication, creativity, and critical thinking (IPCC, 2014; Sherbinin et al., 2019; Travis and Bates, 2014). These skills can be improved with active learning (George et al., 2016; Lyon et al., 2013; Pierce, 2019; Pruneau et al., 2013). Active learning is defined as any instructional method that promotes student activity and engagement in the learning process (Prince, 2004). An active learning method that is well suited to climate change education is Problem-Based Learning (PBL) (McCright et al., 2013). Problem-Based Learning (PBL) is an instructional method wherewith students learn about a subject through the experience of solving a real problem (Wood 2003; Buckler et al., 2014). ~~The PBL is a student-centred pedagogy that does not focus on solving problems with a definite solution, but rather on developing desirable skills and attributes is a pedagogical method based on principles of adult learning theory wherewith students learn about a subject through the experience of solving a real problem (Wood 2003; Buckler et al., 2014).~~ ~~However, there is no consensus that students' scores are improved in PBL when compared to traditional learning and some professionals regard it as another educational fad where believe~~ the advantages are negligible in comparison to the resources and preparation needed (Prince, 2004; Wood, 2003). However, several studies find that PBL has a positive effect on learners' knowledge retention and interest in the subject (McCright et al. 2013), as well as on the development of problem-solving skills like- It includes knowledge-aquisition, interpretation of data, creativity, teamwork and communication (Prince, 2004; Buckler et al., 2014; Wood, 2003; Pruneau et al., 2013) which can be beneficial to climate change education (George et al., 2009; McCright et al., 2013; Pierce, 2019; Pruneau et al., 2013). A sound climate risk training and an effective educational courseware based on PBL can save time and resources and is likely to enhance the learning of tertiary students and practitioners (George et al., 2016).

Training tertiary students and practitioners on climate risk is useful for enhancing awareness about the relevance of the topic and informing about the existence of methods to reduce climate risks (George et al., 2009, 2016). ~~This~~ It can help society plan and implement adaptation options with respect to the impacts of climate change (Fernandez et al., 2014), as foreseen in the SDG 13 (United Nations, 2016). ~~(Jiménez Cisneros et al., 2014)(Borges and Chaffe, 2019; Borges de Amorim et al., 2020).~~ Training in climate risk has been shown effective in developing knowledge, attitudes, and skills of farmers, meteorologists, managers, and policy makers around the world to make informed decisions to tackle climate change impacts. ~~Several authors (e.g., Yen et al., 2019; George et al., 2006, 2019).~~ report the benefits of such trainings in developing the knowledge, attitudes, and skills of farmers, meteorologists, managers and policy makers from different parts of the world to make informed decisions to tackle climate change impacts. ~~This is particularly important for water professional because the water sector is highly exposed to climate hazards and global warming is projected to further intensify the water cycle (Jiménez Cisneros et al., 2014). Especially in Brazil, where changes to a drier hydrological regime are expected in the future (Borges and Chaffe, 2019; Borges de Amorim et al., 2020).~~

The literature reveals the need for effective training and educational courseware on climate risk that stimulates problem-solving skills. Training to strengthen applied climate education and promote problem-solving skills are desirable in stand-

Formatado: Cor da fonte: Automática

Formatado: Cor da fonte: Automática

Formatado: Cor da fonte: Automática

Formatado: Normal, À esquerda, Espaçamento entre linhas: simples

Formatado: Fonte: Cor da fonte: Automática, Padrão: Transparente, Não Realce

Formatado: Fonte: Cor da fonte: Automática, Padrão: Transparente

65 alone courses and where climate is an embedded component (George *et al.*, 2016; McBean and Rodgers, 2010; Reid, 2019; Yen *et al.*, 2019). In this paper, we describe the development and delivery of a short duration face-to-face training based on the IPCC's climate risk framework and PBL. Further, we address the following research questions:

(RQ1) Is a training scheme based on PBL and mapping suitable to support students' learnings about the IPCC's climate risk framework?

70 (RQ2) What are observations and learnings from an introductory pilot training on climate risk which is targeting tertiary students and practitioners?

We use Brazil as a case study as the country is already suffering considerable damages and losses associated with climate-induced natural hazards, particularly floods, landslides, droughts and heat waves (CEPED UFSC and World Bank, 2016; Nobre *et al.*, 2019). At the same time, there is high demand for climate risk experts (Brazil, 2016) and a

75 considerable number of courses and programs with the potential to include climate risk management (Cadastro Nacional de Cursos e Instituições de Educação Superior, 2020; Cursos da Pós-Graduação Stricto Sensu no Brasil [2017 a 2020], 2020). We test and evaluate the training scheme based on qualitative observation and self-assessment of the participants of five different groups including tertiary students and practitioners.

Código de campo alterado

2. Materials and methods

80 2.1 Training development

Given the need for enhancing learning about climate risk and adaptation for water professionals (George *et al.*, 2006, 2016), the training was initially designed to supplement the existing Water Resources Planning discipline in the Sanitary and Environmental Engineering bachelor course of the Federal University of Santa Catarina (UFSC). The bachelor's course has a minimum duration of 10 semesters and includes basic subjects such as calculus, physics, and chemistry, ~~course~~ as well as vocational subjects such as hydraulics, hydrology, and wastewater treatment. The course content is available at (UFSC, (2014).; As new opportunities emerged, the training was delivered for to graduate students of the Water Resources Management Master program at the State University of São Paulo (UNESP) and practitioners of the Secretary of Sustainable Economic Development of Santa Catarina State (SDE). This provided an excellent opportunity for us to design effective training to enhance student's learnings about climate risk and adaptation.

90 The theoretical basis underpinning this training is PBL, wh and ich is a pedagogical method based on principles of adult learning theory and requires an emphasis on problem analysis, knowledge application, and cooperative work (Wood, 2003). Several studies find that PBL has a positive effect on learners' knowledge retention and interest in the subject (McCright *et al.*, 2013), as well as on the development of problem-solving skills (Buckler *et al.*, 2014; Prince, 2004; Pruneau *et al.*, 2013; Wood, 2003).

95 2.2 Training delivery

The main goal of the training is to enhance learning about climate risk and adaptation and its connection to water planning.

The intended learning outcomes are:

- (1) Capacity to explain the IPCC's climate risk framework and differentiate its components;
- (2) Associate socioeconomic, biophysical, and climate data with the climate risk components;
- 100 (3) Map climate risk and classify risk zones;
- (4) Assess adaptation options;
- (5) Communicate via presentation the outcomes and the limitations regarding data sufficiency.

The learning outcomes are designed to improve competence in climate and water planning skills, i.e., interpretation of data, creativity, teamwork, communication, and critical thinking, by constructing knowledge from experiences (Kolb, 2015).

105 Educational material (available in the supplement) in the form of a courseware includes:

- a slide show presentation to introduce the IPCC's climate risk framework (Supplement 1)
- a set of maps for participants (Supplement 2)
- a facilitation script for facilitator/trainers, including cues to assist the delivery of the training sessions (Supplement 3)

110 The training lasts 120 minutes and is divided into five sessions (Figure 2~~Figure-2~~), which are associated with the intended learning outcomes. The following subsections describe the training sessions in detail.

2.2.1 Session 1: Introduction to the IPCC's climate risk framework

The learning goal of this session is to introduce the IPCC and its climate risk framework. With the support of the slideshow presentation, the trainer ~~introduces~~presents the IPCC and its climate risk framework; where risk is a combination of a climate hazard, with the exposure and vulnerability of a system. Vulnerability is comprised of sensitivity and adaptive capacity (IPCC, 2014). The session, in the form of an expository lecture, is complemented by an interactive exercise to reinforce the learning outcome and demonstrate competency. A flood impact case is drawn on the blackboard and participants must answer questions about the components of risk (~~Figure 1~~Figure 3). The participants are asked to point out the climate hazard, the most exposed element in the scene, the most sensitive, and the most capable to adapt. The session takes
120 20 minutes.

2.2.2 Session 2: Associate socioeconomic, biophysical, and climate data with the climate risk components

The learning goal of this session is to interpret socioeconomic, biophysical, and climate data in a form of maps and associate them to the climate risk components. This and the following sessions are based on PBL pedagogy and apply the IPCC's climate risk framework to a fictional situation using mapping. The training simulates a situation where the federal
125 government requests a consultancy service to: (i) identify areas in Brazil with significant climate risk, and (ii) assess

adaptation options to reduce the risk. Climate risk assessment for ~~different-several~~ sectors is a real demand of the Brazilian federal government, foreseen in the Brazilian National Plan for Climate Change Adaptation – NAP (Brazil, 2016). Since the focus is on water planning, it was considered the top four climate impact types according to the Brazilian NAP: floods, landslides, water scarcity, and agricultural droughts.

130 The PBL pedagogy recommends small working groups (Prince, 2004; Wood, 2003), thus, each working group has 3-6 members and addresses one type of impact. Each working group receives a set of 4 maps illustrating socioeconomic, biophysical, and climate data. Figure 4 shows the set of maps associated with water scarcity, which is an example of the database that working groups use to assess climate risks and adaptation options.

In this session, participants classify the maps into: (i) *climate hazard*, (ii) *exposure*, (iii) *sensitivity*, or (iv) *adaptive capacity*.

135 ~~The trainer assists It is important to ensure that the-the working groups in understanding the tasks and learning goals of the sessions. In this specific session, it is important to ensure that the working groups correctly working-groups correctly~~ interpret the maps (e.g., theme, legend, and caption) and understand how the ~~escaat~~ data is associated with the IPCC's climate risk components. This session lasts 20 minutes.

2.2.3 Session 3: Map climate risk and classify risk zones

140 The learning goal of this session is to map climate risk and classify risk zones. Since climate risk is the combination of *climate hazard*, *exposure*, *sensitivity*, and *adaptive capacity*, participants estimate risk by overlapping the maps illustrating socioeconomic, biophysical, and climate data. Each working group receives a blank map of Brazil where they are asked to illustrate ~~and-classify-the~~ risk zones. ~~From the second training onwards, we informed about the possibility of using a scale of risk (e.g., low, medium, and high)-(e.g., low, medium, or high risk).~~ This session lasts 20 minutes.

145 2.2.4 Session 4: Assess adaptation options

The learning goal is to understand how risk can be reduced and thus assess adaptation options. The participants discuss the factors that most affect the level of risk and, based on them, propose actions to reduce the risk. Participants should focus on the data they received and reflect on the government's role in climate change adaptation (e.g., delimiting occupation areas, implementing water resource planning, and reducing water distribution losses). This activity lasts approximately 20 minutes.

150 2.2.5 Session 5: Communicate via presentation

The learning goal is to communicate via presentation the outcomes of the previous sessions, as well as the limitations regarding data sufficiency. Group presentation is an essential part of the PBL process and is an opportunity to assess the participants' performance, in particular to the acquisition of abilities in problem-solving and professional competence (Macdonald and Savin-Baden, 2004). ~~From the second training onwards, we provided instructions towards a more focused~~ presentation. The participants begin by presenting the classification of the maps and the reasons behind their choice. Next, they present the climate risk map and the criteria adopted for the definition of risk areas. In the end, the working group

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

presents the adaptation options and discusses the data they received, including relevant missing data that could improve the analysis. Each working group has 5 minutes to present the results and ~ 3 minutes to answer questions from peers.

2.2 Methods of Evaluation

160 Numerous forms of assessment have been proven to be successful in PBL, ranging from group presentations, self-
assessment, and written reports to non-traditional methods, such as tripartite assessment (Lyon and Teutschbein, 2011;
Macdonald and Savin-Baden, 2004). Given the short duration of the training and the objective of this case study, which is to
develop an effective and motivating training scheme, we use qualitative observational ~~analysis~~ (Katz-Buonincontro and
Anderson, 2018; Grove et al., 2013) and a ~~simple~~ self-assessment of knowledge of the participants (Andrade, 2019; Boud,
165 1995).

Qualitative observation is a way to assess what students do (Grove et al., 2013). It provides rich and in-depth descriptions of
classroom practices and are useful for identifying limitations of training schemes and educational courseware (Grove et al.,
2013; Lindorff and Sammons, 2018). In this case study, The goal of the qualitative observational ~~analysis~~ is to assess the
suitability of the training scheme and the educational courseware in supporting students' learning about climate risk and
170 promoting the practice of problem-solving skills (RQ1). Annotations include the demonstration of knowledge acquisition
and skills by the participants, as well as feedback and misunderstandings that may require courseware improvements (RQ2).
Self-assessment is the process by which the participants reflect on their learning (Andrade, 2019; Boud, 1995). It is an
important aspect of learning and one of the most important skills for professional development (Boud, 1995; Lyon and
Teutschbein, 2011; Macdonald and Savin-Baden, 2004). However, the results from self-assessments should be carefully
175 interpreted. Participants tend to overestimate their competence, which may lead to unreliable estimations of knowledge
acquisition (Andrade, 2019; Kruger and Dunning, 1999; Macdonald and Savin-Baden, 2004; Strobl et al., 2020). On the
other hand, self-assessment can increase the interest and motivation of participants for the subject and support them in
developing critical skills for analysis of their work and performance (Andrade, 2019; Boud, 1995), which are aligned with
the PBL principles (Macdonald and Savin-Baden, 2004). In this case study, the self-assessment comprises a simple survey
180 distributed before and after the training sessions where participants had to rate their level of knowledge about climate risk on
a scale ranging from 'nothing' to 'very much'. The self-assessment was applied in training 2 and 3. Assessing the
participants' perception of knowledge acquisition supports answering the RQ1.

3. Results

3.1 Training development

185 The training courseware was developed along with its delivery to 5 independent groups in Brazil from 2018 to 2019 and
reached 94 higher education students and practitioners. Three groups are composed of undergraduate students of the Water
Resources Planning discipline of the Sanitary and Environmental Engineering bachelor course at UFSC.

One group is of graduate students of the Water Resources Management Master program at the UNESP. The last group is of practitioners of the SDE. Figure 5 shows the timeline of training and the background information, i.e., the institution, the number and the profile of participants, the duration of the training, the training modules, and the documentation available. In some trainings, the content can be extended if time is available. In the third training, for example, we added introductory lectures on climate change and climate information, as well as ~~were added. These include~~ climate scenarios in the climate risk mapping session ~~as well~~. In the fifth training, we included an interactive lecture to introduce the scientific basis of climate change ~~was added~~.

3.2 Training delivery

3.2.1 Session 1: Introduction to the IPCC's climate risk framework

In general, it was observed that the participants from all groups could answer the questions correctly, suggesting that the expository lecture complemented by an interactive exercise was useful for introducing the IPCC's climate risk framework and its elements.

3.2.2 Session 2: Associate socioeconomic, biophysical, and climate data with the climate risk components

The participants were familiar with maps illustrating socioeconomic and biophysical data, but they had difficulties interpreting some climatology maps. The participants' queries were mainly about climate indices, such as the maximum number of consecutive dry days, and they were answered by the trainers during the session. Overall, the participants were able to classify the maps satisfactorily, especially for *adaptive capacity*, demonstrating the students' gain of knowledge about the IPCC's climate risk framework (RQ1). It was noticed that students practiced the interpretation of data (RQ2). Difficulties emerged when classifying *exposure*, which is the most difficult aspect to be classified while mapping (Sherbinin et al., 2019). *Exposure* is the geographic location of a receptor, or a system, in relation to the *climate hazard* (IPCC, 2014). In mapping, to estimate *exposure* it is necessary to combine the spatial distribution of the receptor with the spatial distribution of the *climate hazard* (Sherbinin et al., 2019).

3.2.3 Session 3: Map climate risk and classify risk zones

The working groups proposed several types of climate risk maps (Figure 6). In the first training, the risk maps (Figure 6a, d) were much simpler than in later applications (Figure 6b, c, e, f). From the second training onwards, the participants were explicitly informed about the possibility of using a scale of risk (e.g., low, medium, and high) resulting in more sophisticated outcomes in the second and third trainings than those of the first group. In the second and third training, the working groups in charge of landslides were able to differentiate the levels of risk, with a detailed risk zoning (Figure 6b and 6c). For agricultural droughts, the working groups included a weighting scheme, similar to a multi-criteria analysis (Figure 6e and 6f). The complete lists of outcomes from all five trainings, as well as the maps provided as input for the mapping activity,

are available in the Appendix A. All working groups were able to map climate risk zones, confirming the usefulness of the educational courseware for enhancing learning about the IPCC's climate risk framework (RQ1). The classroom observations suggest that this session promotes teamwork and creativity (RQ2). There were intense discussions between the participants and decisions were based on the working group consensus. At the same time, the outcomes of the working groups were very diverse (e.g. Figure 6), which is an indicator of creativity (Katz-Buonincontro and Anderson, 2018).

3.2.4 Session 4: Assess adaptation options

In many cases, the proposed adaptation options were satisfactory. For example, in the first training, the working group responsible for the flood case proposed increasing *adaptive capacity* by enhancing education as a means to reduce illiteracy (a map provided as input). For landslides, all working groups suggested reducing *exposure* by zoning areas of non-human occupation. In some cases, the working groups presented adaptation options based on their personal beliefs rather than on the evidence provided by the data given (i.e., the set of maps). The results suggest this session enhances knowledge about the usefulness of the IPCC's climate risk framework for climate change adaptation (RQ2). At the same time, it promotes the practice of critical thinking (RQ2), by identifying the limitations of their work and proposing additional data needed.

3.2.5 Session 5: Communicate via presentation

The group presentations were satisfactory and demonstrated that the participants understood the principles of the IPCC's climate risk framework (RQ1). After instructions towards a more focused presentation (following the order of the sessions), the participants were able to communicate their results in a clear and consistent fashion (RQ2). Presentations were generally made by more than one working group member (Figure 7), a decision that demonstrates teamwork (RQ2).

3.2.6 Participants' perception of knowledge acquisition

To estimate the effect of the training on the participants' perception of knowledge change, a simple self-assessment pre- and post-training sessions was applied. Figure 8 illustrates two examples of the students' self-rating in training 2 and 3. In both trainings, participants self-rated scores pre- and post-training rose from "nothing" to "medium" or "a lot". The self-assessment results demonstrate that the proposed training scheme, based on PBL and mapping, was adequate to support participants' learnings about the IPCC's climate risk framework (RQ1). It was clear that the participants perceived a significant level of knowledge gain (Figure 8) and the training produced a considerable level of satisfaction and motivation, an expected outcome from active learning (George et al., 2016; Lyon et al., 2013; Prince, 2004; Valaitis et al., 2005; Wood, 2003). Indeed, the practical sessions, the teamwork environment and the self-assessment were positively recognized. One student of the fourth training said: "I really liked the practical part. I think the concepts were very clear to me after that and it was really nice to discuss in groups those maps.". In the third training, one student said: "Thanks for the training. It was the first time I had the opportunity to work with my classmates.". In the second training, one student said: "Very didactic, and I really liked that

4. Discussion

250 The most significant findings of this research are:

- (1) Training based on the PBL and mapping can be used to support students' learnings about the IPCC's climate risk framework. The training produced high levels of satisfaction and the participants perceived a gain in knowledge (RQ1)
- 255 (2) Training based on the PBL, mapping and the IPCC's climate risk framework fosters the practice of interpretation of data, creativity, teamwork, communication, and critical thinking (RQ2)
- (3) The delivery of the training to five different groups provided several lessons learned and, consequently, improved the training and the educational courseware (RQ2).

This will now be discussed further concerning pedagogical skills, the benefits of using PBL in climate risk training, ~~and~~ limitations of the training ~~and application of the climate risk concept of climate risk by water professionals.~~

260 4.1 Pedagogical skills

Active learning requires a profound and comprehensive factual knowledge about the target topic (George et al., 2009; Prince, 2004). In this case study, both trainers had more than ten years of experience in climate change and water resources planning, which may have contributed to the successful delivery of the training. George *et al.* (2009) recommend that trainers have a long experience in climate sciences. They highlight the lack of technical competence on climate risk by trainers and, to overcome this, they suggest focusing on general problem-solving skills and knowledge about key concepts relating to climate risk.

~~Three major pedagogical skills necessary for the delivery of this training are discussed, which are: facilitation, ability to stimulate students, and preparation of educational courseware. In addition to the trainers' experience on the subject, three pedagogical skills are necessary for the delivery of this training, which are: facilitation, ability to stimulate students and preparation of educational courseware.~~

270 First, the facilitation script (Supplement 3) was useful in conducting the sessions successfully. Active learning is self-directed learning on the part of the students and facilitation is essential (George et al., 2009; Wood, 2003). That means the educator needs abilities in reflective dialogue with students, in guiding students to identify connections and bring balance to discussions (May, 2000).

275 Second, the working groups were limited to a maximum of six members, and clear and short instructions were provided in each session to ensure engagement by the participants. Active learning requires extra attention to prepare activities that stimulate participation and engagement (George et al., 2009; Prince, 2004; Wood, 2003). Several authors (Prince, 2004; Weber et al., 2021; Wood, 2003) highlight the importance of working in small groups and providing clear instructions to guarantee participation and engagement.

280 Third, the preparation of the maps (search, selection, and adjustment) was the most time-consuming activity. The set of maps was updated as the need for improvements was perceived. Indeed, PBL requires a significant amount of resources (e.g., printed materials) and time for preparation (George et al., 2009; Prince, 2004; Wood, 2003).

In addition, [this training was delivered face-to-face](#), but trainers should consider specific pedagogical practices for online trainings (Bailey and Card, 2009). A challenge that arises is how to apply active learning in a circumstance that demands social distancing, for instance, the 2020's COVID-19 educational disruption (Farnell et al., 2021). Like Orrill (2002) and Valaitis *et al.* (2005), the use of digital workspaces for visual collaboration should be explored in future works.

4.2 PBL for teaching climate risk

In this case study, the PBL approach nurtured the practice of interpretation of data, creativity, teamwork, communication, and critical thinking. Assessing climate risks is a complex activity that requires comprehensive interpretation of the context and the data available, as well as collaboration between different knowledge groups and creativity to communicate the results to multiple stakeholders (George et al., 2016; IPCC, 2014; Sherbinin et al., 2019; Travis and Bates, 2014). Many education professionals consider active learning an effective learning approach that brings multiple side benefits (Buckler et al., 2014; Wood, 2003). The benefits of [PBL](#) in teaching climate risk are recognized by several authors (George et al., 2009; McCright et al., 2013; Pierce, 2019; Pruneau et al., 2013). [PBLActive Learning](#) also promotes enthusiasm in the classroom and high levels of satisfaction among students (George et al., 2016; Lyon et al., 2013; Prince, 2004; Wood, 2003), which were observed in the delivery of this training.

4.3 Limitations of the training

This training is a work in progress and will be further developed. The limitations of the current training with regards to climate risk education are discussed here to identify possible paths forward.

300 Risk mapping using the IPCC's climate risk framework is usually adequate for spatial planning (Sherbinin et al., 2019). Other frameworks are available and, in many cases (e.g., Damania *et al.*, 2010; George *et al.*, 2006, 2016, 2019; Mira-Salama *et al.*, 2013), the climate change risk matrix framework and the international guidelines for risk management (i.e., ISO 31000, 2018) are more meaningful. George *et al.* (2016) found that the [climate change](#)-risk matrix is a suitable approach for enhancing water professionals' learnings about climate risk. It is important to note that the training presented here focused on water planning and was limited to 120 minutes, which was adequate to introduce the principles of the IPCC's climate risk framework. However, in further extensions of this training it is recommended to include the teaching of the climate change risk matrix and international guidelines for risk management, similar to George *et al.* (2016).

The training does not provide background information about climate change principles. George *et al.* (2016) emphasized that participants must be aware of the current state of knowledge on climate change. It is recommended a lecture to inform that human-induced climate change is supported by multiple sources of scientific evidence and related damages and losses can no

longer be ignored (IPCC, 2018). Such materials were delivered in the third and fifth training and were very useful to raise awareness about the need for climate action.

The training does not address climate change scenarios. Although recommended to enable decision-makers to plan for near- and long-term time horizons (IPCC, 2014), including climate change scenarios into climate risk mapping is not trivial (Sherbinin et al. 2019). The main challenges regard the interpretation of climate change projections and associated uncertainties (Sherbinin et al., 2019; Sutton, 2019). The third training included a session to map climate change risk scenarios, where a package of information with four different sources of climate change evidence was provided (i.e., trends in observational data, level of agreement on the signal of change from a climate model ensemble, regional projections, and literature synthesis). This activity required a considerable level of knowledge about climate change projections and associated uncertainties, and some difficulties in accomplishing the activity persisted even after an additional lecture about it. In a professional development climate course, George *et al.* (2009) reported that even trainers have difficulties in understanding climate change projections. Perhaps, an alternative is to reduce the package of information. George *et al.* (2016) simplified complex climatological data and obtained satisfactory results.

This training is designed for the water sector, but it can be easily adapted to other domains that require spatial planning and are exposed to climate hazards, such as health, agriculture, energy, transport, biodiversity, and ecosystems (Sherbinin et al., 2019; Nobre et al., 2019). The maps must be adjusted, and the trainers must ensure that all four elements that comprise climate risk (i.e., *climate hazard, exposure, sensitivity, and adaptive capacity*) are represented in the collection of maps. The interactive exercise in Session 1 can be used in other domains to help participants assimilate the IPCC's climate risk concept. However, that might depend on the pre-existing knowledge and experience of the participants regarding floods (Mohadjer et al., 2021). Moreover, the classroom culture must be taken into consideration in this kind of training and adjustments may be necessary (Mohadjer et al., 2021; George et al., 2006).

In terms of the methods of evaluation, it should be noted that in this case study we have not applied semi-structured qualitative interviews or statistical methods of analysis. This limits to some extent the ability to isolate the effect of the training proposed (Lyon et al., 2013). Triangulation of results from different evaluation methods enhances the validity of the conclusions (Grove et al., 2013; Lindorff and Sammons, 2018) and is recommended in future deliveries of this training. Despite the gain of knowledge perceived by the participants and the positive feedbacks, self-assessments tend to overestimate the competence of the participants (Andrade, 2019; Boud, 1995; Kruger and Dunning, 1999; Strobl et al., 2020). On the other hand, self-assessment promotes personal development, which is interlinked with the acquisition of content (Andrade, 2019; Boud, 1995). Its application is advantageous for learners and trainers, such as feedback, student engagement, and increased trust (Taras, 2010), as observed in the delivery of this training (RQ2). In this case study, it was not possible to assess the differences, if any, in the self-assessment responses between the groups (e.g., undergraduates vs. practitioners) because the self-assessment was applied only for the undergraduate students (training 2 and 3). However, considering the classroom observations and the feedback from the participants, it is unlikely that there were substantial differences in the responses between the groups. While these are shortcomings of this case study, it highlights the value

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Fonte: Itálico

Formatado: Cor da fonte: Automática, Padrão: Transparente

345 of including pedagogical experts in the design of lecture evaluations (Lyon et al., 2013), for instance in further developments
of this training.

4.4. Application of the climate risk concept of climate risk by water professionals

350 The concept of climate risk is useful for governmental bodies that are involved in long-term water resources planning and
emergency preparedness, such as water agencies, ministries, water suppliers, civil defence and state executive offices
(George et al., 2016; Flagg and Kirchhoff, 2018; Raucher et al., 2018; Yates et al., 2015; Boholm and Prutzer, 2017). In
Brazil, examples of organizations are the National Water and Sanitation Agency (ANA, 2016), the Ministry of Environment
(Brazil, 2016), and the SDE (Santa Catarina, 2009). Universities, research centres, and consultancies are also interested in
information about the impacts of climate change on the water resources (Borges de Amorim et al., 2020). Many water
professionals are already adopting new analytic tools to respond to climate change, and the demand for climate risk training
355 is increasing (Raucher et al., 2018; George et al., 2016; Yates et al., 2015). The challenge that remains in the application of
the climate risk concept by water professionals is the lack of political saliency and unclear demarcation of responsibility
between actors (Boholm and Prutzer, 2017; McBean and Rodgers, 2010). Training water professionals from governmental
bodies, as we did with SDE, can raise awareness about the role of governmental bodies in climate change adaptation and,
consequently, increase the demand for water professionals who equipped with knowledge –understand the concept of on
360 climate risk (McNamara, 2013; Pruneau et al., 2013; McBean and Rodgers, 2010; George et al., 2016).

Check the Sherbin, IPCC (adaptation), NAP, ANA (climate change report) and regional water agencies, regional water
suppliers, civil defence, SDS.

This case study demonstrates the development and delivery of a climate risk training based on PBL pedagogy where the
IPCC's climate risk framework is applied through mapping. The training supports student's learnings about climate risk even
365 in a short duration course. The training was delivered face-to-face to 5 independent groups in Brazil from 2018 to 2019 and
reached 94 higher education students and practitioners in the field of water resources planning, which permitted gathering
several lessons learned and, consequently, improving the training and the educational courseware. ~~The Qualitative
observation and self-assessment and the observational qualitative analysis~~ show that the participants perceived a gain in
knowledge and practiced interpretation of data, creativity, teamwork, communication, and critical thinking skills. At the
370 same time, the results suggest that the practical sessions produced significant levels of satisfaction and motivation.

The educational courseware can be directly transferred to higher educational institutions in Brazil and will require minor
adjustments when applied in other countries and domains (e.g., updating of the maps). Regarding the pedagogical skills
needed to deliver this training, it is recommended some level factual knowledge about climate change and water resources
planning as well as facilitation skills and time for preparing the courseware. We recommend the evaluation methods adopted
375 in this case study to be further developed for future application and evaluations of this training. Further research should
investigate the value of a longitudinal study to assess what has been learned and applied and how learning can therefore be
enhanced (e.g., up-scaled and accelerated). Through more targeted educational courseware in development, delivery, and

evaluation in programmatic and integrative ways, climate risk and adaptation can be strengthened in stand-alone courses and professional development training where climate is an embedded component. This training, aligned with other structured courses, can be of value to educational systems and across cultures, and have appeal primarily to personnel in academia and curriculum designers as an indicator of applied climate knowledge and skills.

Acknowledgements

We thank Prof. Dr. Chang Hung Kiang and Prof. Dr. Leonardo Hoinaski for inviting us to deliver this training at UNESP and SDE, respectively. We would like to express our appreciation to all 94 participants who have actively contributed to the improvement of this training. We acknowledge the Brazilian National Council for Scientific and Technological Development (Conselho Nacional de Desenvolvimento Científico e Tecnológico - CNPq) for funding this study (Grant Number 159528/2018-6).

Formatado: Inglês (Reino Unido)

Formatado: Inglês (Reino Unido)

Formatado: Normal

Formatado: Inglês (Reino Unido)

References

Planos de Recursos Hídricos: <https://portal1.snirh.gov.br/ana/apps/webappviewer/index.html?id=29ef3cf04a584c0da35cf267ae69d0ea>, last access: 20 May 2020.

ANA: Estudos relativos às mudanças climáticas e recursos hídricos para embasar o Plano Nacional de Adaptação às mudanças climáticas, Agência Nacional de Águas (ANA) and Centro de Gestão e Estudo Estratégicos (CGEE), Brasília, DF, 2016.

Andrade, H. L.: A Critical Review of Research on Student Self-Assessment, *Front. Educ.*, 4, 87, <https://doi.org/10.3389/educ.2019.00087>, 2019.

Bailey, C. J. and Card, K. A.: Effective pedagogical practices for online teaching: Perception of experienced instructors, *The Internet and Higher Education*, 12, 152–155, <https://doi.org/10.1016/j.iheduc.2009.08.002>, 2009.

Boholm, Å. and Prutzer, M.: Experts' understandings of drinking water risk management in a climate change scenario, *Climate Risk Management*, 16, 133–144, <https://doi.org/10.1016/j.crm.2017.01.003>, 2017.

Borges de Amorim, P., Silva de Souza, K. I., and Borges Chaffe, P. L.: A web-based tool for synthesis assessments of the impacts of climate change on water resources, *Environmental Modelling & Software*, 133, 104848, <https://doi.org/10.1016/j.envsoft.2020.104848>, 2020.

Borges, P. A. and Chaffe, P. L. B.: Towards a comprehensive characterization of evidence in synthesis assessments: the climate change impacts on the Brazilian water resources, *Climatic Change*, 155, 37–57, <https://doi.org/10.1007/s10584-019-02430-9>, 2019.

Boud, D.: *Enhancing learning through self assessment*, Kogan Page, London ; Philadelphia, 247 pp., 1995.

Formatado: Português (Brasil)

Brasil: Sistema Nacional de Informações sobre Saneamento: Diagnóstico dos Serviços de Água e Esgotos – 2017, Ministério do Desenvolvimento Regional. Secretaria Nacional de Saneamento – SNS, Brasília, DF, 2017.

410 Brazil: National Adaptation Plan to Climate Change: volume I: general strategy, Ministry of Environment (MMA), Brasília, 2016.

Buckler, C., Creech, H., and UNESCO: Shaping the Future We Want: UN Decade of Education for Sustainable Development (2005-2014) : Final Report, 2014.

415 Cursos da Pós-Graduação Stricto Sensu no Brasil [2017 a 2020]: <https://dadosabertos.capes.gov.br/dataset/2017-a-2020-cursos-da-pos-graduacao-stricto-sensu-no-brasil>, last access: 27 May 2020.

CEPED UFSC and World Bank: Relatório de danos materiais e prejuízos decorrentes de desastres naturais no Brasil: 1995 - 2014, Universidade Federal de Santa Catarina. Centro Universitário de Estudos e Pesquisas sobre Desastres (CEPED UFSC); Banco Mundial, 2016.

420 Damania, R., George, D. A., Jacobsen, M. P. S., Rodriguez, D. J., Glauber, A. J., and Ramos, Y. S.: Confronting a Changing Climate in Michoacan, The World Bank, Washington DC, 2010.

Debortoli, N. S., Camarinha, P. I. M., Marengo, J. A., and Rodrigues, R. R.: An index of Brazil's vulnerability to expected increases in natural flash flooding and landslide disasters in the context of climate change, 86, 557–582, <https://doi.org/10.1007/s11069-016-2705-2>, 2017.

425 Farnell, T., Skledar Matiječić, A., and Šćukanec Schmidt, N.: The impact of COVID-19 on higher education: a review of emerging evidence, Publications Office of the European Union., Luxembourg, 70 pp., 2021.

Fernandez, G., Thi, T. T. M., and Shaw, R.: Climate Change Education: Recent Trends and Future Prospects, in: Education for Sustainable Development and Disaster Risk Reduction, edited by: Shaw, R. and Oikawa, Y., Springer Japan, Tokyo, 53–74, https://doi.org/10.1007/978-4-431-55090-7_4, 2014.

430 Flagg, J. A. and Kirchhoff, C. J.: Context matters: Context-related drivers of and barriers to climate information use, Climate Risk Management, 20, 1–10, <https://doi.org/10.1016/j.crm.2018.01.003>, 2018.

George, D. A., Clewett, J. F., Selvaraju, R., and Birch, C.: Applied Climate Education and Training for Agricultural and Natural Resource Management in India, Indonesia, Zimbabwe and Australia, The Journal of Agricultural Education and Extension, 12, 141–157, <https://doi.org/10.1080/13892240600861674>, 2006.

435 George, D. A., Clewett, J., Birch, C., Wright, A., and Allen, W.: A professional development climate course for sustainable agriculture in Australia, 15, 417–441, <https://doi.org/10.1080/13504620902946978>, 2009.

George, D. A., Tan, P.-L., and Clewett, J. F.: Identifying needs and enhancing learning about climate change adaptation for water professionals at the post-graduate level, 22, 62–88, <https://doi.org/10.1080/13504622.2014.979136>, 2016.

440 George, D. A., Clewett, J. F., Lloyd, D., McKellar, R., Tan, P.-L., Howden, M., Rickards, L., Ugalde, D., and Barlow, S.: Research priorities and best practices for managing climate risk and climate change adaptation in Australian agriculture, Australasian Journal of Environmental Management, 26, 6–24, <https://doi.org/10.1080/14486563.2018.1506948>, 2019.

Grove, M., Overton, T., University of Birmingham, and STEM Education Centre: Getting started in pedagogic research within the STEM disciplines, University of Birmingham, Birmingham, 2013.

Formatado: Português (Brasil)

- IBGE: Perfil dos municípios brasileiros, IBGE, Coordenação de População e Indicadores Sociais, Rio de Janeiro, 2017.
- 445 IBGE: Censo agropecuário : resultados definitivos 2017, Instituto Brasileiro de Geografia e Estatística (IBGE), Rio de Janeiro, 2019.
- Normais climatológicas do Brasil: <http://www.inmet.gov.br/portal/index.php?r=clima/normaisClimatologicas>, last access: 20 May 2020.
- IPCC: Climate change 2014: impacts, adaptation, and vulnerability: Working Group II contribution to the fifth assessment report of the Intergovernmental Panel on Climate Change, Cambridge University Press, New York, NY, 1 pp., 2014.
- 450 IPCC: Summary for Policymakers, in: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)],
- 455 World Meteorological Organization, Geneva, Switzerland, 32, 2018.
- ISO: Risk Management Guidelines, 31000:2018, International Organization for Standardization, Geneva, Switzerland, 2018.
- Jiménez Cisneros, B. E., Oki, T., Arnell, N. W., Benito, G., Cogley, J. G., Döll, P., Jiang, T., and Mwakalila, S. S.: Freshwater resources, in: Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 229–269, 2014.
- 460 Katz-Buonincontro, J. and Anderson, R. C.: How Do We Get From Good to Great? The Need for Better Observation Studies of Creativity in Education, *Front. Psychol.*, 9, 2342, <https://doi.org/10.3389/fpsyg.2018.02342>, 2018.
- Kolb, D. A.: *Experiential learning: experience as the source of learning and development*, 2nd edition., Pearson Education, Upper Saddle River, New Jersey, 390 pp., 2015.
- 465 Kruger, J. and Dunning, D.: Unskilled and unaware of it: How difficulties in recognizing one’s own incompetence lead to inflated self-assessments., *Journal of Personality and Social Psychology*, 77, 1121–1134, <https://doi.org/10.1037/0022-3514.77.6.1121>, 1999.
- Leal Filho, W. and Hemstock, S. L.: Climate Change Education: An Overview of International Trends and the Need for Action, in: *Climate Change and the Role of Education*, edited by: Leal Filho, W. and Hemstock, S. L., Springer International Publishing, Cham, 1–17, https://doi.org/10.1007/978-3-030-32898-6_1, 2019.
- 470 Leal Filho, W. L.: Climate Change at Universities: Results of a World Survey, in: *Universities and Climate Change*, edited by: Leal Filho, W., Springer Berlin Heidelberg, Berlin, Heidelberg, 1–19, https://doi.org/10.1007/978-3-642-10751-1_1, 2010.
- Lindorff, A. and Sammons, P.: Going beyond structured observations: looking at classroom practice through a mixed method lens, *ZDM Mathematics Education*, 50, 521–534, <https://doi.org/10.1007/s11858-018-0915-7>, 2018.
- 475 Lyon, S. W. and Teutschbein, C.: Problem-Based Learning and Assessment in Hydrology Courses: Can Non-Traditional Assessment Better Reflect Intended Learning Outcomes?, *Journal of Natural Resources and Life Sciences Education*, 40, 199–205, <https://doi.org/10.4195/jnrlse.2011.0016g>, 2011.

480 Lyon, S. W., Walter, M. T., Jantze, E. J., and Archibald, J. A.: Training hydrologists to be ecohydrologists: a “how-you-can-do-it” example leveraging an active learning environment for studying plant–water interaction, *Hydrol. Earth Syst. Sci.*, 17, 269–279, <https://doi.org/10.5194/hess-17-269-2013>, 2013.

Macdonald, R. and Savin-Baden, M.: A Briefing on Assessment in Problem-based Learning, Learning and Teaching Support Network (LTSN), Heslington, York, UK., 2004.

485 May, T. S.: Elements of Success in Environmental Education Through Practitioner Eyes, *The Journal of Environmental Education*, 31, 4–11, <https://doi.org/10.1080/00958960009598639>, 2000.

McBean, G. and Rodgers, C.: Climate hazards and disasters: the need for capacity building: *Climate hazards and disasters*, 1, 871–884, <https://doi.org/10.1002/wcc.77>, 2010.

McCright, A. M., O’Shea, B. W., Sweeder, R. D., Urquhart, G. R., and Zeleke, A.: Promoting interdisciplinarity through climate change education, 3, 713–716, <https://doi.org/10.1038/nclimate1844>, 2013.

490 McNamara, K. E.: Raising awareness about climate change in Pacific communities, *Environmental Education Research*, 19, 864–871, <https://doi.org/10.1080/13504622.2013.769046>, 2013.

[Cadastro Nacional de Cursos e Instituições de Educação Superior: http://emec.mec.gov.br/](http://emec.mec.gov.br/), last access: 27 May 2020.

Formatado: Português (Brasil)

Mira-Salama, D., Damania, R., Pedrozo-Acuna, A., and Scandizzo, P. L.: Campeche Mexico -Case of climate change adaptation: uncertain future, robust decisions, The World Bank, Washington D.C, 2013.

495 MMA: Índice de vulnerabilidade aos desastres naturais relacionados às secas no contexto da mudança do clima, Ministério do Meio Ambiente (MMA), Brasília, DF, 2017.

Formatado: Português (Brasil)

Mohadjer, S., Mutz, S. G., Kemp, M., Gill, S. J., Ischuk, A., and Ehlers, T. A.: Using paired teaching for earthquake education in schools, *Geosci. Commun.*, 4, 281–295, <https://doi.org/10.5194/gc-4-281-2021>, 2021.

500 Nobre, C. A., Marengo, J. A., and Soares, W. R. (Eds.): *Climate Change Risks in Brazil*, Springer International Publishing, Cham, <https://doi.org/10.1007/978-3-319-92881-4>, 2019.

Orrill, C. H.: Supporting Online PBL: Design Considerations for Supporting Distributed Problem Solving, 23, 41–57, <https://doi.org/10.1080/01587910220123973>, 2002.

505 Pierce, C.: Realities of Teaching Climate Change in a Pacific Island Nation, in: *Climate Change and the Role of Education*, edited by: Leal Filho, W. and Hemstock, S. L., Springer International Publishing, Cham, 319–347, https://doi.org/10.1007/978-3-030-32898-6_18, 2019.

Preston, B. L., Yuen, E. J., and Westaway, R. M.: Putting vulnerability to climate change on the map: a review of approaches, benefits, and risks, *Sustain Sci*, 6, 177–202, <https://doi.org/10.1007/s11625-011-0129-1>, 2011.

Prince, M.: Does Active Learning Work? A Review of the Research, 93, 223–231, <https://doi.org/10.1002/j.2168-9830.2004.tb00809.x>, 2004.

510 Pruneau, D., Kerry, J., Blain, S., Evichnevetski, E., Deguire, P., Barbier, P.-Y., Freiman, V., Therrien, J., Langis, J., and Lang, M.: Competencies Demonstrated by Municipal Employees During Adaptation to Climate Change: A Pilot Study, 44, 217–231, <https://doi.org/10.1080/00958964.2012.759521>, 2013.

Raucher, K., Raucher, R., Ozekin, K., and Wegner, K.: The Opportunities and Needs of Water Utility Professionals as Community Climate–Water Leaders, 10, 51–58, <https://doi.org/10.1175/WCAS-D-17-0061.1>, 2018.

515 Reid, A.: Climate change education and research: possibilities and potentials versus problems and perils?, 25, 767–790, <https://doi.org/10.1080/13504622.2019.1664075>, 2019.

Santa Catarina: Política Estadual sobre Mudanças Climáticas e Desenvolvimento Sustentável de Santa Catarina, http://leis.alesc.sc.gov.br/html/2009/14829_2009_lei.html, 2009.

Formatado: Português (Brasil)

520 Sherbinin, A. D., Bukvic, A., Rohat, G., Gall, M., McCusker, B., Preston, B., Apotsos, A., Fish, C., Kienberger, S., Muhonda, P., Wilhelmi, O., Macharia, D., Shubert, W., Sliuzas, R., Tomaszewski, B., and Zhang, S.: Climate vulnerability mapping: A systematic review and future prospects, <https://doi.org/10.1002/wcc.600>, 2019.

St. John, K., Bitting, K., Cervato, C., Kastens, K., Macdonald, R., McDaris, J., McNeal, K., Petcovic, H., Pyle, E., Riggs, E., Ryker, K., Semken, S., and Teasdale, R.: An Evolutionary Leap in How We Teach Geosciences, 100, <https://doi.org/10.1029/2019EO127285>, 2019.

525 Strobl, B., Etter, S., van Meerveld, H. J. I., and Seibert, J.: Training citizen scientists through an online game developed for data quality control, *Geosci. Commun.*, 3, 109–126, <https://doi.org/10.5194/gc-3-109-2020>, 2020.

Sutton, R. T.: Climate Science Needs to Take Risk Assessment Much More Seriously, 100, 1637–1642, <https://doi.org/10.1175/BAMS-D-18-0280.1>, 2019.

530 Théry, H. and Mello, N. A.: Atlas do Brasil disparidades e dinâmicas do território, 3rd ed., Editora da Universidade de São Paulo (USP), São Paulo, 392 pp., 2018.

Formatado: Português (Brasil)

Torres, R. R., Lapola, D. M., Marengo, J. A., and Lombardo, M. A.: Socio-climatic hotspots in Brazil, 115, 597–609, <https://doi.org/10.1007/s10584-012-0461-1>, 2012.

Travis, W. R. and Bates, B.: What is climate risk management?, 1, 1–4, <https://doi.org/10.1016/j.crm.2014.02.003>, 2014.

535 UFSC: Currículo do Curso de Graduação em Engenharia Sanitária e Ambiental da UFSC, <https://ens.paginas.ufsc.br/files/2014/12/Curriculo-20151.pdf>, 2014.

Formatado: Português (Brasil)

UNESCO: Education for sustainable development goals: learning objectives., 2017.

Cooperation with the IPCC: <https://unfccc.int/topics/science/workstreams/cooperation-with-the-ipcc>, last access: 10 March 2021.

United Nations: The Sustainable Development Goals Report 2016, United Nations, New York, 2016.

540 Valaitis, R. K., Sword, W. A., Jones, B., and Hodges, A.: Problem-Based Learning Online: Perceptions of Health Science Students, 10, 231–252, <https://doi.org/10.1007/s10459-005-6705-3>, 2005.

Weber, J. M., Lindenmeyer, C. P., Liò, P., and Lapkin, A. A.: Teaching sustainability as complex systems approach: a sustainable development goals workshop, *IJSHE*, 22, 25–41, <https://doi.org/10.1108/IJSHE-06-2020-0209>, 2021.

545 Wood, D. F.: ABC of learning and teaching in medicine: Problem based learning, 326, 328–330, <https://doi.org/10.1136/bmj.326.7384.328>, 2003.

Yates, D. N., Miller, K. A., Wilby, R. L., and Kaatz, L.: Decision-centric adaptation appraisal for water management across Colorado's Continental Divide, *Climate Risk Management*, 10, 35–50, <https://doi.org/10.1016/j.crm.2015.06.001>, 2015.

Yen, B. T., Son, N. H., Tung, L. T., Amjath-Babu, T. S., and Sebastian, L.: Development of a participatory approach for mapping climate risks and adaptive interventions (CS-MAP) in Vietnam's Mekong River Delta, 24, 59–70, <https://doi.org/10.1016/j.crm.2019.04.004>, 2019.

550





Figure 1. IPCC's conceptual framework of climate risk (adapted from IPCC, 2014).



555 Figure 2. Scheme of the training sessions (adapted from IPCC, 2014; MMA, 2017; Planos de Recursos Hídricos, 2020; Brasil, 2017; Normais climatológicas do Brasil, 2020)




Figure 3. Example of a classroom blackboard used to illustrate the climate risk exercise. Given a flood situation, house A is more exposed than house B; the wooden house C is more sensitive than the brick house A; the house with insurance D has a higher adaptive capacity than a house without insurance. The blue line indicates different flood levels. [The definitions of climate hazard, exposure, sensitivity, and adaptive capacity are based on the IPCC climate risk framework.](#)

560




Figure 4. Example of a map collection used for mapping climate risk associated with water scarcity. The maps illustrate: (a) population density (MMA, 2017); (b) stage of implementation of the water resources planning (Planos de Recursos Hídricos, 2020), (c) water distribution loss index (Brasil, 2017); (d) annual rainfall (Normais climatológicas do Brasil, 2020)

565

Timeline of Trainings




Figure 5. Description of the 5 trainings delivered along 2018 and 2019. Training 1, 2, and 4 addressed undergraduate students from UFSC; training 3 comprised graduate students from UNESP; training 5 was made up of practitioners from the SDE.




570 Figure 6. Outcomes from the climate risk mapping for landslides and agricultural droughts working groups (rows) from 3 trainings (columns).

a) **Training 2 | Water Scarcity**



b) **Training 3 | Agriculture Droughts**



c) **Training 4 | Landslides**



d) **Training 5 | Agricultural Droughts**





Figure 7. Photos of the participants presenting their results.



575 Figure 8. Charts illustrating the participant's knowledge levels pre- and post-training sessions for: a) training 2 and b) training 3. Each symbol corresponds to a participant **and colors represent the temporality (before and after the training)**. The scale ranges from “nothing” (left side) to “a lot” (right side). The circle with a continuous line encompasses the self-rated scores before the training sessions, whereas the circle with a dashed line embraces the self-rated scores after the training sessions.

580 **Appendix A: lists of outcomes from all five trainings**

Training 1

Date: August 8th, 2018

Institution: Federal University of Santa Catarina (UFSC)

Number of participants: 20


585 Profile: undergraduate students from Sanitary and Environmental Engineering

Duration: 2 hours

Teaching modules: Climate Risk Analysis

Documentation available: maps and risk maps


Training 1 | Working Group Floods



590

Figure 1. Package of maps used in the first training for mapping climate risk associated with floods. The maps illustrate: a) population density (MMA, 2017); b) Human Development Index (HDI, Torres et al., 2012), c) watershed drainage (Debortoli et al., 2017); d) maximum consecutive 5-day precipitation (Rx5-day, Debortoli et al., 2017); and e) the climate risk map drawn by the participants.


Training 1 | Working Group Landslides



595

Figure AB2. Package of maps used in the first training for mapping climate risk associated with landslides. The maps illustrate: a) Brazilian population density (Torres et al., 2012); b) road density (Debortoli et al., 2017); c) landforms (Debortoli et al., 2017); d) Consecutive Wet Days (CWD, Debortoli et al., 2017); and e) the climate risk map drawn by the participants.

Training 1 | Working Group Water Scarcity



600

Figure AB3. Package of maps used in the first training for mapping climate risk associated with water scarcity. The maps illustrate: a) Human Development Index (HDI, MMA, 2017); b) illiteracy rate (MMA, 2017); c) water supply and demand (MMA, 2017); d) annual precipitation (MMA, 2017); and e) the climate risk map drawn by the participants.

605

Training 1 | Working Group Agricultural Droughts




Figure AB4. Package of maps used in the first training for mapping climate risk associated with agricultural droughts. The maps illustrate: a) land use (MMA, 2017); b) child mortality (MMA, 2017); c) Human Development Index (HDI, MMA, 2017); d) drought potential (MMA, 2017); and e) the climate risk map drawn by the participants.

610

Training 2

Date: April 11th, 2019

Institution: Federal University of Santa Catarina (UFSC)

Number of participants: 21


615 Profile: undergraduate students from Sanitary and Environmental Engineering

Duration: 2 hours

Teaching modules: Climate Risk Analysis

Documentation available: maps, risk maps, photos of the activities, perception chart


Training 2 | Working Group Floods



620

Figure **A5**. Package of maps used in the second training for mapping climate risk associated with floods. The maps illustrate: a) Brazilian population density (Torres et al. 2012); b) illiteracy rate (MMA 2017); c) watershed drainage (Debortoli et al. 2017); d) maximum consecutive 5-day precipitation (Rx5-day, Debortoli et al. 2017); and e) the climate risk map drawn by the participants.


Training 2 | Working Group Landslides



625

Figure **A6**. Package of maps used in the second training for mapping climate risk associated with landslides. The maps illustrate: a) Human Development Index (HDI, Torres et al. 2012); b) slope (Debortoli et al. 2017); c) landforms (Debortoli et al. 2017); d) Consecutive Wet Days (CWD, Debortoli et al. 2017); and e) the climate risk map drawn by the participants.


Training 2 | Working Group Water Scarcity



630

Figure A7. Package of maps used in the second training for mapping climate risk associated with water scarcity. The maps illustrate: a) population density (MMA, 2017); b) child mortality (MMA 2017); c) water supply and demand (MMA 2017); d) annual precipitation (MMA 2017); and e) the climate risk map drawn by the participants.

Training 2 | Working Group Agricultural Droughts



635


Figure A8. Package of maps used in the second training for mapping climate risk associated with agricultural droughts. The maps illustrate: a) Human Development Index (HDI, MMA 2017); b) land use (MMA 2017); c) road density (Debortoli et al. 2017); d) drought potential (MMA 2017); and e) the climate risk map drawn by the participants.

640

Training 2



Figure A9. Photos of the groups working on the activities of the second training.



645 Figure A10. Chart illustrating the evolution of participants' perception of learning about climate risk in the second training. Each symbol represents a participant and colours represent the temporality (before and after the lecture). The circle with continuous line compasses the perception of the participants at the beginning of the training, whereas the dashed line circle embraces the perception at the end of the lecture.

Training 3

650 Date: July 5-6th 2019

Institution: State University of São Paulo (UNESP)


Number of participants: 19

Profile: graduate students from Water Resources Management Master programme

Duration: 11 hours


655 Teaching modules: introduction to climate change, introduction to climate information, climate risk analysis, and climate risk analysis (future)

Documentation available: maps, risk maps, photos of the activities, perception chart



660 **Figure B-Figure A11.** Package of maps used in the third training for mapping climate risk associated with floods. The maps illustrate: a) Brazilian population density (Torres et al. 2012); b) Human Development Index (HDI, MMA 2017); c) watershed drainage (Debortoli et al. 2017); d) maximum consecutive 5-day precipitation (Rx5-day, Debortoli et al. 2017); and e) the climate risk map drawn by the participants

Training 3 | Working Group Landslides



665

Figure BFigure A12. Package of maps used in the third training for mapping climate risk associated with landslides. The maps illustrate: a) Human Development Index (HDI, Torres et al. 2012); b) municipal housing council (IBGE, 2017); c) landforms (Debortoli et al. 2017); d) annual total precipitation when rainfall > 95 percentile (R95p, Debortoli et al. 2017); and e) the climate risk map drawn by the participants.

670

Training 3 | Working Group Water Scarcity




Figure BFigure A13. Package of maps used in the third training for mapping climate risk associated with water scarcity. The maps illustrate: a) population density (MMA, 2017); b) stage of implementation of the water resources planning (Planos de Recursos Hídricos, 2020); c) water security index (Planos de Recursos Hídricos, 2020); d) annual rainfall (Normais climatológicas do Brasil, 2020); and e) the climate risk map drawn by the participants.

675

Training 3 | Working Group Agricultural Droughts





Figure-BFigure A14. Package of maps used in the third training for mapping climate risk associated with agricultural droughts. The maps illustrate: a) illiteracy rate (MMA 2017); b) land use (MMA 2017); c) use of modern practices in agriculture (Théry and Mello, 2018); d) number of dry spells longer than 9 days (Normais climatológicas do Brasil, 2020); and e) the climate risk map drawn by the participants.

Training 3



Figure-BFigure A15. Photos of the groups working on the activities of the third training.

685



690

Figure A16. Chart illustrating the evolution of participants' perception of learning about climate risk in the third training. Each symbol represents a participant and colours represent the temporality (before and after the lecture). The circle with continuous line compasses the perception of the participants at the beginning of the lecture, whereas the dashed line circle embraces the perception at the end of the lecture.

Training 4

Date: Aug. 29th, 2019

Institution: Federal University of Santa Catarina (UFSC)

Number of participants: 22


695 Profile: undergraduate students from Sanitary and Environmental Engineering

Duration: 2 hours

Teaching modules: Climate Risk Analysis

Documentation available: maps and photos of the activities


Training 4 | Working Group Floods



700

Figure BFigure A17. Package of maps used in the fourth training for mapping climate risk associated with floods. The maps illustrate: a) Brazilian population density (Torres et al. 2012); b) Human Development Index (HDI, MMA 2017); c) watershed drainage (Debortoli et al. 2017); and d) maximum consecutive 5-day precipitation (Rx5-day, Debortoli et al. 2017)

Training 4 | Working Group Landslides



705

Figure BFigure A18. Package of maps used in the fourth training for mapping climate risk associated with floods. The maps illustrate: a) Human Development Index (HDI, Torres et al. 2012); b) municipal housing council (IBGE, 2017); c) landforms (Debortoli et al. 2017); and d) annual total precipitation when rainfall > 95 percentile (R95p, Debortoli et al. 2017).

Training 4 | Working Group Water Scarcity




Figure A19. Package of maps used in the fourth training for mapping climate risk associated with water scarcity. The maps illustrate: a) population density (MMA, 2017); b) stage of implementation of the water resources planning (Planos de Recursos Hídricos, 2020); c) water security index (Planos de Recursos Hídricos, 2020); and d) annual rainfall (Normais climatológicas do Brasil, 2020).

Training 4 | Working Group Agricultural Droughts




Figure A20. Package of maps used in the fourth training for mapping climate risk associated with agricultural droughts. The maps illustrate: a) illiteracy rate (MMA 2017); b) land use (MMA 2017); c) use of modern practices in agriculture (Théry and Mello, 2018); and d) number of dry spells longer than 9 days (Normais climatológicas do Brasil, 2020).

Training 4



Figure B ~~Figure A~~ 21. Photos of the groups working on the activities of the fourth training.

725 Training 5

Date: October 21st, 2019

Institution: Secretary of Sustainable Economic Development of Santa Catarina State (SDE)

Number of participants: 12


Profile: technicians and decision-makers

730 Duration: 4 hours

Teaching modules: Introduction to Climate Change and Climate Risk Analysis


Documentation available: maps and photos of the activities

Training 5 | Working Group Water Scarcity



735 **Figure A22.** Package of maps used in the fifth training for mapping climate risk associated with water scarcity. The maps illustrate: a) population density (MMA, 2017); b) stage of implementation of the water resources planning (Planos de Recursos Hídricos, 2020); c) water distribution loss index (Brasil, 2017); and d) annual rainfall (Normais climatológicas do Brasil, 2020).

Training 5 | Working Group Agricultural Droughts



740 **Figure A23.** Package of maps used in the fifth training for mapping climate risk associated with agricultural droughts. The maps illustrate: a) rice production (IBGE, 2019); b) properties with protected water springs (IBGE, 2019); c) use of modern practices in agriculture (Théry and Mello, 2018); and d) number of dry spells longer than 9 days (Normais climatológicas do Brasil, 2020).

Training 5



Figure A24. Photos of the groups working on the activities of the fifth training.