

Arctic Tectonics and Volcanism: a multi-scale, multidisciplinary educational approach

Kim Senger^{1,2,*}, Grace E. Shephard^{3,4}, Fenna Ammerlaan^{1,5}, Owen Anfinson⁶, Pascal Audet⁷, Bernard Coakley⁸, Victoria Ershova⁹, Jan Inge Faleide³, Sten-Andreas Grundvåg^{1,10}, Rafael Kenji Horota¹, Karthik Iyer¹¹, Julian Janocha^{1,10}, Morgan Jones^{3,12}, Alexander Minakov³, Margaret Odlum^{1,2,3}, Anna M. R. Sartell^{1,13,4}, Andrew Schaeffer^{1,4,5}, Daniel Stockli^{1,6,5}, Marie A. Vander Kloet^{1,6,7,1}, Carmen Gaina³

¹Department of Arctic Geology, The University Centre in Svalbard, PO Box 156, 9171 Longyearbyen, Norway

10 ²Geodynamics of the Polar Regions, Department of Geosciences, University of Bremen, Klagenfurter Str. 2, 28359, Bremen, Germany

³Centre for Planetary Habitability, Department of Geosciences, University of Oslo, Oslo, Norway

⁴Research School of Earth Sciences, Australian National University, Acton, Canberra, Australia

⁵Department of Earth Sciences, Utrecht University, Princetonlaan 8A, 3584 CB Utrecht, the Netherlands

15 ⁶Department of Geology, Sonoma State University, 1801 East Cotati Ave, Rohnert Park, CA 94928, USA

⁷Department of Earth and Environmental Sciences, University of Ottawa, Ottawa, Canada

⁸Geophysical Institute, University of Alaska, Fairbanks, AK USA 99775

⁹St Petersburg State University, 199034, University emb. 7-9, Saint Petersburg, Russia

20 ¹⁰Department of Geosciences, UiT The Arctic University of Norway, PO Box 6050 Langnes, N-9037 Tromsø, Norway

¹¹[Geomodelling Solutions GmbH, Hardturmstrasse 120, 8005 Zurich, Switzerland](https://www.geomodelling-solutions.com)

¹²[Geomodelling Solutions GmbH, Hardturmstrasse 120, 8005 Zurich, Switzerland](https://www.geomodelling-solutions.com) Department of Ecology and Environmental Science (EMG), University of Umeå, Linnaeus väg 4-6, 907 36 Umeå, Sweden

Commented [KS1]: R2 main comments:

Whilst the paper in its current form is just within scope of the GC journal, as it highlights practical, pedagogical research and geoscience curricula development for higher education, it does not go as far as to analyse the course in detail. The feedback from students has not been used to evaluate and amend the course, and there is no reflection from the authors on what limitations the course has. Additionally, it is not a completely novel method – this is typically the 'UNIS' model of teaching (guest lecturers, fieldwork and fieldwork safety, research question focused group work). However, this doesn't detract from the need for the publication – the increasing geopolitical tension in the Arctic coupled with the decreasing numbers of students taking geoscience education at higher levels highlights the immediate need for more cross-border collaboration and continued science diplomacy in the region. This publication highlights that out-of-classroom education and networking can lead to further career development and increased interest in taking geology at PhD level.

Commented [KS2R1]: We have certainly taken student input into consideration when optimising the course over the years – but you are completely right that this section is not reflected in the manuscript. We will address this by expanding section 3 "The Arctic x51 course: motivation, establishment and incremental optimization". And add a brief section where we reflect on the limitations of the course.

Commented [KS3]: R2 main comments:

The authors outline the main features of a master's and PhD level teaching course called Arctic Tectonics and Volcanism, which has been taught over a number of years at UNIS in Svalbard. The manuscript serves as a good reflection of the style of courses on offer at UNIS, which incorporates fieldwork, groupwork, research questions and teaching. Feedback from the students is used to highlight the longer-term impact such courses have on students, of which I am in agreement, as I also took a UNIS course during my PhD (a different course, prior to the start of the Tectonics and Volcanism course). There are also many good examples of open science within the manuscript. At times, the manuscript is overly long, with too much detail on the specifics of the topic. There are also many figures which do not relate to the manuscript, but rather serve as a showing of available data. The readers would be better served with more analysis of the educational approach and impact of such courses, or a better insight into the multidisciplinary aspect, for those who are not experts in geology.

Commented [KS4R3]: Response: We sincerely appreciate your feedback. However, we are reluctant to broaden the perspective of this manuscript to other UNIS courses at the expense of the current Arctic geology approach. In essence we strive to describe a very special course in the UNIS portfolio (special largely because it has been externally financed through NORRAM until 2023 and includes a truly circum-Arctic approach, and integrating many disciplines within the geosciences to tackle large issues) to motivate the geoscientific community to establish similar courses elsewhere (and if desired, use the data packages provided by us). We do not strive to write a manuscript about courses at UNIS in general. We do realize this does not satisfy your suggestions, but is in line with the comments of Reviewer 1 who actually wants the Arctic geology thematic expanded.

Formatted: English (United Kingdom)

25 ¹³²Scripps Institution of Oceanography, University of California San Diego, 9500 Gilman Drive, La Jolla, CA 92093, USA

¹⁴⁸Department of Geosciences and Geography, University of Helsinki, PO Box 64, Gustaf Hällströmin katu 2, 00014 Helsinki, Finland

30 ¹⁵⁴Geological Survey of Canada, Pacific Division, Natural Resources Canada, Sidney, British Columbia, Canada

¹⁶⁵University of Texas, Austin, Texas, USA

¹⁷⁶Department of Education, University of Bergen, Bergen, Norway

Correspondence to: Kim Senger (kims@unis.no)

35 **Abstract.** Geologically, the Arctic is one of the least explored regions of Earth. ~~Its significance, in terms of indigenous populations, resource extraction, tourism, shipping and a rapidly changing climate, is increasing. The Arctic offers geological diversity encompassing onshore and offshore environments, include active subduction zones in Alaska, deep sedimentary basins on the Siberian and Barents Sea shelves, widespread ancient Arctic volcanism and magmatism, the world's slowest spreading mid-ocean ridge (Gakkel Ridge in the Eurasia Basin), as well as world class examples of extensional and compressional basins exposed onshore Svalbard.~~ Obtaining data **in the high Arctic** is logistically, economically and environmentally expensive ~~in the high Arctic~~, but the township of Longyearbyen (**population 2617, as of 2024**) at 78°N represents a relatively easily accessible gateway to Arctic geology ~~and is. The year-round settlement on Spitsbergen, the main island of the Svalbard archipelago~~
40 **is** home to The University Centre in Svalbard (UNIS). ~~Reached by a year-round airport with regular connections to mainland Norway, Svalbard, and UNIS in particular.~~ These unique factors provides a foundation from which to teach and explore Arctic geology via the classroom, the laboratory, and the field. ~~UNIS was founded in 1993 as the Norwegian "field-university", offering field-based courses in Arctic Geology, Geophysics, Biology, and Technology to students from Norway and abroad.~~

Commented [KS5]: R2 comment:

The abstract a bit too long – some of it reads like introduction. The list of what the course entails is too much information for the abstract. It could be shortened in the second paragraph to mention main components (field safety, Arctic geology theory, group exercises, digital visualization tools, course assessment) but not go into detail.

Commented [KS6R5]: Abstract shortened

Commented [KS7]: R1 comment:

The abstract could be moderately modified to include more information about the course objectives, motivation, and the mission of UNIS as an institution, while reducing the focus on introducing the challenges of the modern Arctic. This aspect, in my opinion, should be expanded upon in the Introduction section.

Commented [KS8R7]: Abstract modified and mission of UNIS included. The Arctic focus is now moved to the introduction.

50

In this contribution we present one of the educational components of the international collaboration project 'NOR-R-AM' ("Changes at the Top of the World through Volcanism and Plate Tectonics") which ran from 2017 to 2024. One of the key deliverables of NOR-R-AM was ~~we present~~ a new graduate course (Masters and PhD level) on

55

Arctic Tectonics and Volcanism that we have established and taught annually at UNIS since 2018 ~~and present~~ detail herein. The course's main objective is to teach the complex geological evolution of the Arctic from the Devonian (~420 million years ago [Ma]) to present-day ~~(from ~420 Million years ago)~~

60

through integrating multi-scale data sets and a broad range of geoscientific disciplines. We outline the course itself, before presenting student perspectives based on both an anonymous questionnaire (n = 27) and in-depth perceptions of four selected students. The course, with an annual intake of up to 20 MSc and PhD ~~international~~ students, is held over a 6-week period, typically in ~~Spring~~ spring or ~~Autumn~~ autumn. The course comprises modules on field and polar safety, Svalbard/Barents Sea geology, wider Arctic geology, plate tectonics, mantle dynamics, geo- and thermochronology, and geochemistry of igneous systems. ~~All modules include individual and group based exercises in addition to introductory lectures.~~

65

A field component, which in some years included an overnight expedition, provides an opportunity to appreciate Arctic geology and gather ~~own~~ field observations and data. Digital outcrop models, ~~and~~ photospheres and plate tectonic reconstructions provide complementary state-of-the-art data visualisation tools ~~suited~~ viewed with state-of-the-art visualization in the classroom and facilitate efficient fieldwork through pre-fieldwork preparation and post-field work

70

quantitative analyses. The course assessment is centered on an individual research project that is presented orally and in a short and impactful Geology journal-style article. Considering the complex subject, and the diversity of student backgrounds and level of geological knowledge before the course, the student experience during this course demonstrate that the multi-disciplinary, multi-lecturer field and classroom teaching is efficient and increase their motivation to explore Arctic science. Apart from

75

the course at UNIS we have jointly initiated several one-off research and education based events at partner institutions, and briefly outline these.

Commented [GS9]: Check official dates with Carmen

Commented [KS10R9]: I checked the prosjektbanken.no, NORRAM1 from 2017 to 2019, NORRAM2 from 2020 to 2024

Key words: Arctic, education, field-based learning, multi-scale

1 Introduction

80 The Arctic is considered as one of the last geoscientific frontiers in the world (Figure 1). ~~Its significance, in terms of indigenous populations, resource extraction, tourism, shipping and a rapidly changing climate, is increasing.~~ This is partly a function of the region being relatively poorly mapped (a result of access difficulties) and is compounded by the debate around its geological evolution. The Arctic offers geological diversity encompassing onshore and offshore environments, and
85 include active subduction zones in Alaska, deep sedimentary basins on the Siberian and Barents Sea shelves, widespread ancient Arctic volcanism and magmatism, the world's slowest spreading mid-ocean ridge (Gakkel Ridge in the Eurasia Basin), as well as world-class examples of extensional and compressional basins exposed onshore Svalbard (Figure 2). The centre of the Arctic is a deep oceanic basin, which is surrounded by shallower continental shelves of variable widths (Figure 1). The onshore
90 domains are divided socio-politically into five coastal nations, plus an additional three when considering ~~nations~~ countries north of the Arctic Circle (66°34'N). ~~The Arctic and~~ is home to approximately one million many indigenous peoples that represent ca. 9% of its total population (Nordregio 2019). The physiographic configuration underpins much of the climatic, oceanographic, biological and sociopolitical development of the region, both at present-day, recent past (100s –
95 100,000s years ago) to deep time (millions of years ago).

~~With warming from e~~Climate change, notably manifested as a global temperature increase, occurring is occurring up to ~~four~~4 times greater in the Arctic region than other regions of the world due to polar amplification (Serreze and Barry, 2011). Consequently, the ~~region Arctic~~ demands immediate attention and a concentration of efforts in order to prepare for the coming years, decades, and beyond. It is
100 inevitable that there will be increased human activity in the Arctic, for example, through a combination of natural resource extraction, tourism, shipping and fisheries. Global attention from the broader public is increasingly turning to the Arctic, and is reflected in both the media, governmental policies, and educational resources (Ford et al., 2021; Heininen et al., 2020). An opportunity for geoscientists to

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Commented [KS12]: R2 comment: Line 70: could we provide a statistic here? Perhaps take this for some inspiration: <https://nordregio.org/maps/indigenous-population-in-the-arctic/>. Whilst the density of Indigenous peoples varies and is relatively low in the European Arctic, there are also many millions of people who live there who are not Indigenous, and who require sustainable development and better education opportunities too.
Ok, we will incorporate this

Commented [KS13R12]: Rephrased now - should we also mention Svalbard has no indigenous people here or rather later?

Commented [KS11]: <https://nordregio.org/maps/indigenous-population-in-the-arctic/>

Commented [KS14]: R2 comment: Line 78-80: A reference to two could strengthen this section regarding the Arctic being in the spotlight of media and policies. Take a read of this and the relevant references therein: <https://arcticyearbook.com/arctic-yearbook/2020/2020-briefing-notes/367-an-arctic-boom-of-policy-strategies-56-and-counting>
Ok, we will incorporate this

Commented [KS15R14]: Added two relevant references

contribute to this is through understanding and communicating the various driving forces that have
105 created the features of the region, including how the region has undergone changes in the past, and how
it will likely respond to various forcing factors in the future.

Characterizing the present-day structure of the Arctic Ocean basin and its surrounding submerged
continental shelves relies on reconciling multi-physical data sets collected from multiple platforms,
including scientific vessels, airplanes, satellites, and using various technologies to take liquid, gas and
110 rock samples from the seafloor and subsurface, including seismic reflection, seismic refraction,
gravity, magnetic, bathymetric and sonobuoy data. For example, Kristoffersen (2011) synthesized the
geophysical exploration of the Arctic Ocean, pointing to the challenges of thick sea ice during data
acquisition and the necessity for Arctic-specific platforms like sub-ice submarines and drifting ice
stations like the German-led MOSAiC icebreaker drift (Krumpfen et al., 2021) or the hovercraft-based
115 Fram-2014/15 (Kristoffersen et al., 2023) expeditions. In-Over the past decade, exponentially more
Arctic data were-haves been acquired. This was partly facilitated by the diminishing sea ice, and partly
by geopolitical considerations related to the United Nations Convention on the Law of the Seas
(UNCLOS; Proelss, 2009). Through UNCLOS, the states geographically bordering the Arctic Ocean
could apply to extend their continental shelf towards the central Arctic Ocean. Brekke and Banet (2020)
120 outline the procedure from the Norwegian perspective, whose maritime territorial margins have been
recently settled.

Understanding the geological evolution of the Arctic basin itself relies largely on deciphering the
geology of the surrounding landmasses such as Svalbard. Historically, a lot of Arctic research was
conducted along N-S gradients – by Norwegians in Svalbard, Danes in Greenland, Swedes and Finns in
125 northern Fennoscandia, Russians in Siberia, US Americans in Alaska, and Canadians in Arctic Canada.
The same could be said for the tertiary educational systems, where students often study in their country
or continent of origin. In contrast, Arctic indigenous students often move from their homes to study
outside the Arctic, as most higher education institutes are located south of the Arctic Circle. Svalbard,
however, has no indigenous population and all UNIS students have to migrate north to
130 participate undertake studies there. However, such a latitudinal and unilateral framework limits a true

systems-wide perspective and the basic and applied scientific discoveries that come with it. A circum-polar approach, with multi-national partners also from non-Arctic nations with significant Arctic research programmes (e.g., Germany, South Korea, China), is required. Furthermore, to understand the deep time evolution of this part of the world, and its place in the global system, a wide spread of geoscience disciplines needs to be integrated. Ideally, ~~both~~ research and educational projects should reflect this by spanning across both spatial and temporal scales.

A limiting factor to conducting research in the Arctic are the financial costs. This is particularly true for scientific field campaigns, whether conducted via land, sea, air or space. Universities and academic institutions (whether funded internally or via external funding agencies) thus take a deliberate and measured approach to acquire funding to support such activities. Another consideration is the carbon footprint related to travel to and from the Arctic, with many researchers becoming increasingly aware of the balance between climate change and its impacts on the environment, and undertaking the research and knowledge transfer about it (e.g., INTERACT, 2020). In addition to research, the role of education (here considering tertiary-level courses) and student mobility to and from (and within) the Arctic is crucial. The intersection of scientific research and education in the Arctic is thus an emerging opportunity.

Several pedagogical-meets-research approaches or activities have been recently implemented regarding Arctic and polar science. For the geosciences, these include a high school classroom implementation of the Arctic Climate Connections curriculum (Gold et al., 2015), a special volume focussing on polar education (Gold et al., 2021), ~~or~~ and insights into developing a field course in Arctic Glaciers and Landscapes Geology (Malm, 2021).

The University Centre in Svalbard (UNIS; Figure 1) is a unique educational institution. It is a share-holding company, fully owned by the Norwegian Ministry of Education and Research and does not charge tuition fees. It was established in 1993 to provide university level education in Arctic studies, to carry out high quality research, and to contribute to the development of Svalbard as an international research platform. UNIS offers undergraduate, graduate and postgraduate-level courses, all delivered in

Commented [KS16]: R2 comment:

Line 100-105: does this differ in non-Arctic nations? I could imagine that at least undergraduate education is carried out in country of origin for the vast majority of places/countries. I could be wrong though, I have not looked into it. In the case of the Arctic though, there is evidence of a southward migration of students (university level) and skilled workers to the south, due to the position of the capital cities outside of the north/arctic circle. It is complex, but there's a breakdown of countries here (Arctic+Scotland): https://www.pure.fo/files/24328830/Arctic_Connections_Final_Report_Rural_Youth_Out_Migration.pdf

We will rephrase it. And specify that there are no indigenous people in Svalbard and that UNIS does not offer full degree education, just single/blocked courses.

Commented [KS17R16]: Grace - can you please check if the reformulation helps or rather overcomplicates the issue?

Commented [GS18]: https://eu-interact.org/app/uploads/2022/10/INTERACTco2-reduction-guidebook_FINAL-WORK_DPS.pdf

Citation: INTERACT 2022. INTERACT Reducing CO2 Emissions in Arctic Science

Commented [KS19]: R2 comment:

Line 113: first mention of motivation – but a lot of relevant information above with which to strengthen the motivation further. Line 150 is the next motivation point – but could be stronger. **Ok, we will rephrase this.**

the English language. One example of integration of research and education has been presented by Senger et al. (2021a) focussing on an annual BSc-level course taught at UNIS, “Integrated Geological Methods: from outcrop to geomodel”. The course has been partially externally funded through the University of the Arctic (UArctic) and paved the way for the development of the “Svalbox– digital outcrop model (DOM) database (Betlem et al., 2023; Senger et al., 2021b). Svalbox facilitates further activity including MSc and PhD projects that systematically contribute to the growing database of DOMs.

UNIS courses require a field component thus maximizing the benefit of being located in Svalbard, the natural laboratory of the high Arctic. With this in mind, no UNIS course could be physically run/held at universities on the Norwegian mainland, and UNIS is thus considered as Norway’s field university.

This is reflected amongst others in ongoing work as part of two Norwegian Centres for Excellence in Education, BioCEED and iEarth, where UNIS is actively involved particularly with field teaching and learning. Some of this work reflects the increased use of digital tools such as digital field notebooks (Senger and Nordmo, 2021) or virtual field guides (Eidesen and Hjelle, 2023) to bridge the classroom to the field sites and incorporate student accessibility and inclusivity. Malm (2021) provides a more pedagogical approach focussing on a graduate course on Arctic Glaciers and Landscapes. Nonetheless, we currently miss a truly circum-Arctic approach that integrates the spatial and temporal range required to decipher the deep-time evolution of the Arctic region is currently missing from the curriculum of Norwegian university courses from what? Curriculum or a synthesis like this?!. Secondly, there are few publicly available thematic data sets that have been pre-compiled and allowing for the multi-disciplinary teaching of Arctic geology.

In this contribution we present an international collaboration project, ‘NOR-R-AM’ (“Changes at the Top of the World through Volcanism and Plate Tectonics”), described in more detail below. In particular, we focus on describing a direct outcome of this project, which was a 10 ECTS (European Credit Transfer and Accumulation System) MSc and PhD-level course jointly developed by project members. The 6-week course was held at UNIS and was titled “Arctic Tectonics and Volcanism”. The annual course has run consecutively from (including a 2-week pilot course) from 2018 onwards.

Commented [KS20]: R2 comment:

Line 131: I'm not sure this is true – there are regular field courses by the geosciences department at UiT in Lyngen and other northern regions of Arctic Norway. Additionally, UiT and other universities use the Abisko research station in Sweden too.

Yes, but still most mainland universities in Norway (who are also represented on the UNIS board) send their students to UNIS for field geology training.


Commented [KS21]: R2 comment: The motivation for the publication could be stronger – I am left wondering if this should serve as a template for others who wish to teach this course. If you are to include some limitations of the course (content, pedagogical style, location) or reflection on how to improve, then I believe it could also serve as a foundation for others to build similar courses and/or a best practice assessment. Do you aim to have some long-term impact on the number of students in geosciences or increased career in geology after education? As I do see this in the student feedback and discussion, but there is not a mention of this in the introduction which could strengthen the motivation. At the moment, the motivation is very tectonics/volcanology specific, but it should be widened to fit the broader geoscience scope of the journal.

Commented [KS22R21]: Response: We will strengthen the motivation to make it clear we want this manuscript to serve as a blueprint for running similar courses elsewhere. We have no concrete plans or ongoing long-term pedagogical projects on the influence of the course on career choices, largely because UNIS only offers similar courses and the background of the students is so varied. We will however include a comment that research that connects students’ experiences in courses with their pursuit of careers in geosciences warrants further investigation - are good experiences enough or do geoscience educators need to more proactively mentor, advise and encourage pursuing geoscience careers. The theme will be tectonics/volcanology (see also point 1 above about our dilemma of being thematically constrained vs UNIS constrained).

Commented [KS23R21]: We have added this now:

“One of the key motivations of this contribution is to provide adequate information, expert insights and data packages so that the course can also be taught (albeit without the field component) elsewhere.”

Throughout the course, integration across temporal and spatial scales, across disciplines and across various software tools, is stressed as an important learning objective. One of the key motivations of this contribution is to provide adequate information, expert insights and data packages so that the course can also be taught (albeit without the field component) elsewhere. In this paper, we also provide two quality-controlled data sets along with teaching material so that these datasets, and/or their formulations, can be implemented elsewhere, whether in Arctic, polar, geoscience or other courses.



Commented [KS24]: R2 comment: There is no reflection from the authors on the limitations of the course. There is a 'lessons learned' section, but doesn't really give any learnings. Whilst the education is free, travelling to Svalbard is not – and this therefore provides a very real financial barrier to many students (especially masters students who often do not have project funding with a travel budget). Additionally, living in Svalbard for 6 weeks is costly, especially for those who are not already living in Norway. Whilst fieldwork in Svalbard is relatively safe (limited concerns for people who identify as women or within the LGBTQ community for instance), travelling to a remote destination is still a limitation for some with visa issues for example (Svalbard is outside of Schengen).

Commented [KS25R24]: Response: We will clarify this and add a section on the limitations. The NORRAM project actually funded all its affiliated students to participate in the course.

Commented [KS26R24]: Specified now in section 3

Commented [KS27]: Carmen and all - are there any additional NORRAM publications that should be added here?




Figure 1: Tectonic elements map of Arctic. The red star marks the location of The University Centre in Svalbard (UNIS). Base map from Dallmann (2015). The blue circles indicate the location of NOR-R-AM activities as listed in Table 4. The green boxes indicate the approximate location of NOR-R-AM affiliated publications (Senger and Galland, 2022; Prokopiev et al., 2018; Prokopiev et al., 2019; Ershova et al., 2022; Rogov et al., 2023a; Rogov et al., 2017; Rogov et al., 2023b; Vasileva et al., 2022; Abdelmalak et al., 2023; Abdelmalak et al., 2024; Nikishin et al., 2018; Anfinson et al., 2022; Brustnitsyna et al., 2022; Ershova et al., 2018; Khudoley et al., 2019; Struijk et al., 2018; Døssing et al., 2020; Straume et al., 2020; Straume et al., 2022; Gaina, 2022; Blischke et al., 2022; Døssing et al., 2017; Kurapov et al., 2021; Lebedeva-Ivanova et al., 2019).

Formatted: Font: 12 pt

Formatted: Font: 12 pt

Field Code Changed

Formatted: Font: 12 pt




Figure 2: Summary chart of the major stratigraphic groups in Svalbard (note that regional hiatuses exist in the upper Cretaceous and the Neogene), and the major tectonic and volcanic events affecting the area. HALIP = High Arctic Large Igneous Province. NAIP = North Atlantic Igneous Province.

Formatted: Font: Bold

Formatted: Normal

2 NOR-R-AM/NOR-R-AM2 project

NOR-R-AM is the acronym for the project “NOR-R-AM: A Norwegian-Russian-North American collaboration in Arctic research and collaboration.” There were two successive generations of the project, NOR-R-AM and NOR-R-AM2, which were funded for the period 2017-2019 and 2020-2024, respectively. ~~They~~ The projects were awarded funding from the Norwegian Research Council under the INTPART call (International Partnerships for Excellent Education, Research and Innovation) ~~from the Norwegian Research Council (Norges forskningsråd)~~ and from SIU – The Norwegian Centre for International Cooperation in Education (now DIKU). ~~This call for “Support and Mobility” was established to develop more world leading academic environments in Norway including by enhancing the quality of higher education in Norway and strengthening links of partnerships.~~ At the time of the call

(2016 and 2019, respectively), partnerships for this call were possible with circum-Arctic nations USA, Canada and Russia, and the NOR-R-AM project formed as ~~The two generations of the projects were led by Professor Carmen Gaina, from the Norwegian Centre of Excellence CEED (Centre for Earth Evolution and Dynamics, now Centre for Planetary Habitability), and is~~ a collaboration with ~~other~~ world leading groups in Arctic geosciences. ~~Partners~~ included:


- University of Oslo, Norway (project lead)
- University Centre in Svalbard (UNIS), Norway
- University of Alaska, Fairbanks (UAF), USA
- University of Texas (UTIG), USA
- Sonoma State University, USA
- Natural Resources Canada
- University of Ottawa, Canada
- Saint-Petersburg State University, Russia (active partner until February 2022)



The aim of the NOR-R-AM and NOR-R-AM2 projects was to set a scientific basis for deciphering the timing, driving forces and consequences of volcanism in the Arctic region. While educating the next generation of Arctic ~~explorers~~ experts, this international collaboration also prepared a scientific platform for future large, collaborative research initiatives in the Arctic. ~~To achieve this there were six~~ Work Packages (WPs) were established, namely Onshore Geology (WP1), Offshore Geology (WP2), Arctic Seismicity and Deep Interior (WP3), Arctic volcanism and paleo-environment (WP4), Circum-Arctic Geodynamics (WP5), and Education (WP6). ~~Each~~ led by a partner institution. In this contribution we focus on the WP6 Education, with emphasis on the course we jointly developed and taught at UNIS since 2018.

3 The AG-x51 course: motivation, establishment, ~~and~~ incremental optimization and limitations

The “Arctic Tectonics and Volcanism” course (AG-x51) was a key deliverable of the NOR-R-AM project and is offered at UNIS simultaneously as both MSc (course code AG-351) and PhD-level (AG-851) course. This course addresses the diverse geological history of the Arctic region, including both

onshore and offshore regions from Paleozoic to recent times (over 500 million years of history). This can be described as a 4-dimensional perspective because it looks at the surface, deep interior, present-day, and deep past. The course focuses on the interplay of plate tectonics (including rifting, seafloor-spreading, subduction and orogenesis [mountain building processes]) and volcanism (including, arc, rifting and plume-related) across several scales (Figure 23). It explores some of the outstanding questions within the Arctic research community with regional case studies, scientific datasets and state-of-the-art software programs and methodologies. Based in the gateway to the Arctic, Svalbard (Figure 1), the course is complemented by several field excursions which examine the well exposed outcrops and specifically the igneous rocks emplaced over large parts of the Svalbard archipelago.





255 **Figure 23: Synthesis of the Arctic Tectonics and Volcanism course with the main modules covered, from rock samples to deep mantle processes. The course addresses heterogeneity laterally (Svalbard-Barents Shelf-Arctic-Depth-Global), in depth (shallow to deep processes), and across spatial and temporal scales (from atoms nano scales through to and rock samples to global maps or giga scales).**

260 Entry requirements for this Masters and PhD course is the pre-existing enrolment in a relevant Masters and PhD programme, respectively, anywhere in the world. A general background in structural geology, sedimentology, volcanology, geodynamics, or geophysics was encouraged, and previous geological field experience was advantageous, though not necessary. Many of the students who attended had little or no experience in Arctic geology, nor polar field work.

265 As with all higher education in Norway, the course has no tuition fee. Students only need to pay a semester fee (ca. 50 EUR) in order to sit all exams during a semester and contribute ca. 20 EUR per day towards food for overnight excursions. The NOR-R-AM project fully funded the tuition fees, travel and accommodation for students from affiliated institutions, and the overnight food contribution to all students. The harsh Arctic weather conditions, strong seasonality and several field work-related hazards (mitigated by targeted training) all contribute to a unique study experience. The diverse society in Longyearbyen is inclusive, caring and safe, irrespective of gender, sexual orientation or nationality. Schengen transit visas are required for travel to/from Svalbard through Norway, but due to the Svalbard Treaty there are no visa requirements to study, live or work in Svalbard itself.

270
275 The course is intentionally scientifically and geographically broad, but is limited by the 6-week period applicable for 10 ECTS intensive courses. Financially, the biggest budget posts are field activities and travel/salary costs for the significantly higher number of guest lecturers compared to other UNIS courses. From a pedagogical perspective, students attending the AGx51 course (and other UNIS courses too) typically have a varied background reflecting diverse home universities and study programmes. On the one hand, this requires careful consideration for the teaching staff on balancing the academic content. On the other hand, we consider this heterogeneous background as beneficial in the context of “experts in a team”, as students are placed in groups reflecting their complementary expertise and encouraged to also teach each other.

Commented [KS28]: R2 comment: There is no reflection from the authors on the limitations of the course. There is a 'lessons learned' section, but doesn't really give any learnings. Whilst the education is free, travelling to Svalbard is not – and this therefore provides a very real financial barrier to many students (especially masters students who often do not have project funding with a tight budget). Additionally, living in Svalbard for 6 weeks is costly, especially for those who are not already living in Norway. Whilst fieldwork in Svalbard is relatively safe (limited concerns for people who identify as women or within the LGBTQ community for instance), travelling to a remote destination is still a limitation for some with visa issues for example (Svalbard is outside of Schengen).

Commented [KS29R28]: We addressed the cost issues here

Commented [KS30R28]: And also the visa issue. We have asked survey participants about gender etc.

Commented [KS31]: I have tried to address the R2 comment

“Whilst fieldwork in Svalbard is relatively safe (limited concerns for people who identify as women or within the LGBTQ community instance), travelling to a remote destination is still a limitation for some with visa issues for example (Svalbard is outside of Schengen).”

Here. Not sure if I succeeded or diverted from the story

Formatted: Normal

285 Development and modification of the “Arctic Tectonics and Volcanism” course has continually
occurred since the beginning with a 2-week long pilot course was held in 2018. Annual course
evaluations from the students were considered when optimizing the course. The primary elements of the
course development can be broadly summarized as:

Formatted: Normal, Line spacing: single

Commented [KS32]: R2 comment:
Line 232: occurred since 'the' beginning
Ok, we will rephrase this.

Commented [KS33R32]: removed

- 290 • overall course curriculum, in-line with UNIS and Norwegian University accreditation,
- the individual lectures by a large team of scientists from different career stages in academia and
industry, which included theoretical and practical components,
- 295 • field work, including single day site visits and multi-day field trips involving multiple transport
options (via sea and land, including using snowmobiles). The locations visited were dependent
on the time of year that the course was run (spring, summer, autumn), the availability of
transport and logistics, cost, and finally, the weather and safety conditions on the day,
- outreach and science communication, with both the community in Svalbard and more widely.

300 The learning outcomes were designed to that, upon completing the course, the students will gain
specific knowledge, skills and general competences:

Formatted: Font: 12 pt, Bold

Formatted: Normal, Line spacing: single

Knowledge:

- 305 • understand the physical, chemical, and structural characteristics of volcanic provinces onshore
and offshore.
- be able to understand plate tectonic principles.
- be aware of the links between surface and deep mantle, methods and models using various data
including seismology and satellite data.
- understand the causal connections between tectonic evolution and episodic bursts of volcanism,
as well as the impacts volcanism can have on the global climate.

310 Skills:

- know how to identify first-order tectonic provinces from geophysical and geological data.
- be able to make a first order interpretation of geophysical, geochemical, and geological data connected to magmatic provinces.
- be able to make plate tectonic reconstructions using modern software.
- be able to interpret mantle tomography models and integrate them in large-scale tectonic interpretation.
- be able to identify and characterize igneous rocks in the field.
- be able to discuss how igneous plumbing systems may affect subsurface fluid migration.

General competences:

- gain first-hand experience of actively working both individually and in small groups.
- learn how to effectively and safely undertake field work in Arctic conditions.
- improve the presentation skills by presenting their work to their peers and creatively tackling the set problems.
- communicate their research findings through an article-style report.

4 The AG-x51 course: modules

~~Development and modification of the “Arctic Tectonics and Volcanism” course has continually occurred since beginning with a pilot course in 2018. The primary elements of this development can be broadly summarized as developments in the:~~

- ~~• overall course curriculum, in line with UNIS and Norwegian University accreditation;~~
- ~~• the individual lectures by a large team of scientists from different career stages in academia and industry, which included theoretical and practical components;~~
- ~~• field work, including single day site visits and multi day field trips involving multiple transport options (via sea and land, including using snow scooters). The locations visited were dependent on the time of year that the course was run (spring, summer, autumn), the availability of transport and logistics, cost, and finally, the weather and safety conditions on the day;~~
- ~~• outreach and science communication, with both the community in Svalbard and more widely.~~

Commented [KS34]: R1 comment:
The issue with manuscript segmentation could be fixed by better introduction- paragraph (before the section 4.2.), informing that following part of the manuscript describes the course modules.

Commented [KS35R34]: We have made this even clearer now with some re-organization of the structure and text reshuffling

Commented [KS36]: R2 comment: There's a lot of information in section 4 which I do not think is needed. The subsections describing the course modules should be significantly shortened, perhaps (as reviewer 1 suggested) the information could be displayed visually. Similarly, many of the figures seem redundant to the manuscript's focus. Figure 3/4/5 are geological maps and are a focus on the topic of the lectures given in the course, but are not related to the course pedagogy or the educational approach. These figures could be removed and the results/conclusions would still be the same. The paper really is too long, so I hope the authors can see the benefit of shortening it to focus on the key aspects that the paper should convey.

Commented [KS37R36]: Response: Here we disagree, as we want to provide adequate information for the specific modules so the course can be reproduced elsewhere. Clearly the fieldwork component would need to be either fully digital or visit other relevant Arctic locations (none of which are as accessible as Svalbard). We will clarify this motivation in the text.

Commented [KS38]: R1 comment:
The course content is systematically presented, detailing all course modules, introduced methods, and the data package utilized for certain activities. Additionally, the manuscript includes overall reflections from students. While it provides listed results from the student questionnaire and reflections from those involved in the NOR-R-AM project, offering valid perspectives and feedback on course content, there seems to be a lack of a clear outline of the course structure. Therefore, I suggest incorporating a flow diagram outlining all modules and activities into the manuscript during the revision process.

Commented [KS39]: R2 comment:
Line 232: occurred since 'the' beginning
Ok, we will rephrase this.

340 These course components were ~~largely~~ spread across ~~several~~eight topic-based modules (Arctic geology and geophysics; Arctic plate tectonics and mantle processes; Regional geology and Arctic and Barents Shelf connections; Svalbard geology, digital geology, and data mining; Geochronology and thermochronology; Volcanism and paleoenvironmental implications; Field Safety; Field work) which are described below in terms of major outstanding regional questions, key datasets, and/or software, ~~as well as other considerations relevant.~~

345 4.1 Arctic geology and geophysics

350 Teaching about Circum-Arctic geology and geophysics ~~in within one a single~~ lecture (typically 1.5 hours long with a 15 min break) is a challenging task, ~~although our~~ and was aided by the student cohorts ~~having~~ a good geoscience background from their undergraduate studies. ~~The~~ A particular challenge was to capture the most relevant and up-to-date information about this vast topic, and to prepare the students for understanding other aspects of Arctic's structure and evolution during the rest of the course. In the first teaching year (2018), when the course was very short (10 days), the tour de force lecture presented, ~~in a tour de force,~~ what is known about the region's surface and sub-surface by reviewing latest knowledge ~~and how it evolved in the recent time~~ and the key datasets used, of bathymetry and topography, geology and geophysics. A central role in this presentation was played by showing how an international Circum-Arctic mapping project gathered most of the updated information held by the Arctic nations (Norway, Russia, USA, Canada, Finland, Sweden, Denmark) for building geological, tectonic, and geophysical maps of the Arctic (Figure 4; Gaina et al., 2011; Petrov et al., 2021). The students learned that collecting geoscientific data in the Arctic is difficult and expensive, and wide
360 collaboration with other countries and scientists is essential for advancing the knowledge of this remote region.

Commented [KS40]: R1 comment:

The overall structure is good; however, the narrative appears segmented, and minor grammar/language corrections of some parts of the manuscript would be beneficial. I am missing, however a geological context. The reader comes back several times to the diverse geological events, that are not listed chronologically but rather to follow the individual course modules (NEW FIGURE 1 A) It would be a great help if reader could be anchored with a figure/table/ timeline listing all major geological events (tectonic, volcanic but also mass extinctions) in chronological order, ideally listing all major events for the Arctic, and clearly indicating which of them manifest in Svalbard. B) Map of the Arctic showing compilation of some of the geological events, with the position of the orogenic belts and position of diverse LIPs mentioned in the text would be also beneficial (similar to fig 5A expanded). This would illustrate why Svalbard is considered a window to the arctic and highlight the Svalbard-Arctic link as well as illustrate the relevance of Svalbard for running the described course.

Commented [KS41R40]: Owen?Grace?

Commented [KS42R40]: Grace/Owen/Kim working on figure will be added (either as new one, or part of Figure 5)

365 The lecture also emphasized the important role of remote sensing data, especially ~~the~~ satellite data (including gravity and magnetic anomalies), for deciphering the Arctic crustal and lithospheric structure. In addition, it presented the role of the upper and lower mantle and their heterogeneities in Arctic's tectonic and magmatic evolution, and how mantle structures could be identified using tomographic models obtained from seismological data. ~~As the course included~~ With a field excursion ~~in~~ held later in the course Svalbard, this foundational ~~e~~-lecture briefly mentioned how new geophysical data contributes to refined tectonic models of Svalbard and surrounding Barents Sea.

370 ~~We slightly changed our p~~The pedagogical approach for the course was modified ~~y~~ for subsequent years (2019, 2022, ~~and~~ 2023, 2024), when the course was offered for a longer period (6 weeks) and the students had more time to consult the recommended bibliography. The ~~next iterations of the "A~~ Arctic ~~g~~Geology and ~~g~~Geophysics ~~Overview~~" lecture(s) ~~built~~ explored the understanding of this region by presenting the main tectonic features according to their ages, from oldest (cratons) to the youngest (oceanic basins). Relevant methods for assessing their structure and ages, with an emphasis on geophysical methods, were presented and when possible, examples including Svalbard and surrounding regions were given. ~~In a computer practical, the students were also introduced to the free application GeoMapApp (https://www.geomapapp.org; Ryan et al., 2009) to display and analyse geoscientific~~ ~~datasets~~. We made sure that the geological connections between land and sea and among various Arctic sub-regions were presented in the regional (and even) global context, and that the latest published studies ~~were included or mentioned~~ featured in the presentation, ~~with many studies also included in the reading list~~. The lecture was usually wrapped up by informing the future Arctic scientists about work in progress, the need for future studies, and opportunities for student involvement in projects such as NOR-R-AM. Because there were several guest lecturers in attendance throughout the course, the students had the opportunity to discuss and ask more detailed questions about active research and outstanding questions.

Commented [GS43]: Ryan, W. B. F., S.M. Carbotte, J. Copl, S. O'Hara, A. Melkonian, R. Arko, R.A. Weisell, V. Ferrini, A. Goodwillie, F. Nitsche, J. Bonczkowski, and R. Zensky (2009), Global Multi-Resolution Topography (GMRT) synthesis data set, *Geochem. Geophys. Geosyst.*, 10, Q03014, doi:[10.1029/2008GC002332](https://doi.org/10.1029/2008GC002332).




Figure 34: Maps showing the a) Geology (Harrison et al., 2008) and Geophysics (Gaina et al., 2011) as b) gravity anomaly and c) magnetic anomaly of the Circum-Arctic region. The black circle shows Svalbard and the surrounding area.

4.2 Arctic plate tectonics and mantle processes


Tectonics is a core theme of this course, and the various links between tectonic processes such as ocean basin opening and closure, mountain building, subduction, sedimentary basin formation, as well as volcanism and magmatism (including rift- and mantle plume related events). The link to climatic, oceanographic and biogeographic changes are mentioned throughout the lectures. Many of the students will have been introduced to the concept of plate tectonics, nonetheless, this module includes a set of introductory and more advanced lectures. Following on from a refresher about plate tectonics at a global scale, Arctic-specific tectonics were then delivered by dividing into three time-periods (which could be presented either running forwards or backwards in time) including the Cenozoic, Mesozoic, and Paleozoic. These three time periods cover the major Arctic tectonic events, including but not limited to North Atlantic and Eurasia Basin opening and Eureka deformation (Cenozoic), Amerasia Basin opening and Pacific subduction (Mesozoic), and Ellesmerian

405 deformation (Paleozoic). These events were discussed in terms of their influence on the regional to local
tectonic expressions and influence on sedimentation.

In addition to theory-based lectures, several hands-on computer tutorials [about showing viewing,](#)
[analysing and modifying](#) plate reconstructions were undertaken over 2-3 sessions. These tutorials are
410 based on the widely used and open-source plate tectonics software GPlates ([-https://www.gplates.org](https://www.gplates.org);
Müller et al., 2018; Boyden et al., 2011) which was installed either directly on the students' personal
laptops or on the desktop machines in the [UNIS computer](#) lab. In addition to the default files shipped
with GPlates, the students were provided with an Arctic dataset bundle (Senger and Shephard, 2023)
which included vector and raster data specific to the Arctic and published in peer-reviewed articles by
415 the wider Arctic community [which could be easily loaded into GPlates](#). The data includes regional
gravity and magnetics and derivatives (Saltus et al., 2011; Gaina et al., 2011), crustal thickness maps
(Lebedeva-Ivanova et al., 2019), seismic tomography models (Schaeffer and Lebedev, 2013; Ritsema et
al., 2011) and bathymetry (Jakobsson et al., 2012). The students were taught about [the mathematical](#)
[method to rotate rigid entities on a sphere, the](#) Euler and finite rotations, how to view and display plate
420 reconstructions and related data including spreading rates and motion paths, how to change frames of
reference (absolute and relative), import and export data and images, and make animations of tectonic
motions through time.

Because plate tectonics is the surface manifestation of a convecting mantle, it is also relevant to explore
425 the structure and evolution of the deeper Earth interior. It is also particularly relevant for the discussion
of large-scale volcanism because their ~~emplacements~~ ~~if emplacement are often tied to the~~ [are linked to](#)
[the](#) arrival of deep-seated mantle plumes that rise throughout the mantle and erupt at the surface. Such
major volcanic and large igneous provinces of the Arctic include Iceland, the Paleogene North Atlantic
Igneous Province (NAIP), the Cretaceous High Arctic LIP (HALIP), and the Permian Siberian Traps
430 [LIP](#). In a set of at least two lectures the mantle is discussed from a perspective of what are the major
features [that contribute to its heterogeneities](#) (including subducted slabs and plumes and core-mantle
boundary features), what are the main geophysical methods and datasets [allowing to identify these](#)

[mantle structures](#) (including gravity and the geoid, seismic tomography and numerical modelling and geochemistry), and what the potential role of mantle dynamics are in the enigmatic origins of the long-lived and pulsed HALIP. As part of this lecture, the community-based visualization website SubMachine (Hosseini et al., 2018) was shown to the students, who learned how to plot and analyse different [seismic](#) tomography models, both globally and specifically for the Arctic region.



440 **Figure 45:** Plate tectonic reconstruction of Svalbard (located at below yellow star) and the Arctic in the global tectonic setting at present-day (0 Million years - Ma), 50 Ma (opening of the Eurasia Basin and North Atlantic), 200 Ma (pre-opening Amerasia Basin), and 400 Ma (Arctic located in equatorial latitudes). Based on the global plate reconstruction of Müller et al. (2018) constructed

445 **from regional studies, made using the GPlates software. Present-day topography and bathymetry**
(cut to continental domains, light blue in oceans) for reference only.

4.3 Regional geology with Arctic and Barents Shelf connections

Svalbard plays a critical role in our understanding of the tectonic and paleogeographic evolution of the Arctic. In this [module section of the course](#), we explore the regional geologic setting of Svalbard and
450 delve into the tectonic events that have shaped Svalbard by placing those tectonic events into the larger
tectonic evolution of the [Circum-Arctic](#). This begins by introducing the students to the major
continental blocks that surround the present day Arctic (i.e. Baltica, Laurentia, and Siberia; Figure
[5A-6A](#)) and ~~introducing them~~ to some of the currently exposed continental fragments within the Arctic
(e.g. Svalbard, Franz Joseph Land, New Siberian Islands, Wrangel Island) that lend insight into the
455 overall tectonic and paleogeographic framework of the Arctic (e.g., Blakey, 2021). We then focus on
the Neoproterozoic and younger mountain building events (e.g., Timanidan, Caledonian,
Ellesmerian/Svalbardian, Uralian, and Eurekan mountain belts) that have either influenced the tectonic
structure of Svalbard, or have been a major sedimentary source for sedimentary successions exposed in
Svalbard. This section of the course culminates with a focus on detrital zircon geochronologic data sets,
460 [time markers that allow establishing the age of major tectonic events](#), that have been collected from
Paleozoic sedimentary strata across the Arctic. ~~The students also learn,~~ and how data collected (as part
of this course) from Svalbard has aided our understanding of Svalbard's regional tectonic evolution
(Anfinson et al., 2022; Figure [56C](#)).

465 To the south and east, Svalbard is directly connected to the submerged parts of the Barents Shelf
(Figure [56B](#)). Geoscientists involved in ongoing petroleum exploration and production, as well as active
CO₂ storage, in the south-western Barents Shelf use Svalbard as an excellent analogue to the reservoirs
and cap rocks further south (Olaussen et al., 2024; Henriksen et al., 2011). The region is naturally rich
in exploration well and seismic data, with a much denser coverage than onshore Svalbard. These data
470 are not only used to constrain the reservoir extent and architecture, but also understand the larger-scale
trends. Notable examples include detailed characterization of major sedimentary wedges in the Triassic

and Cretaceous. The Triassic system, representing the largest delta plain in Earth's history (Klausen et al., 2019) is a westerly prograding system seen as clinofolds in seismic data across the Barents Shelf (Glørstad-Clark et al., 2011; Gilmullina et al., 2021) and as sand-prone sediments onshore Svalbard
475 (Anell et al., 2014; Lundschieen et al., 2014). The Cretaceous system is linked to uplift to the north associated with HALIP emplacement, regional tilting and a fluvial-dominated system traversing Svalbard from the north depositing sediments to the south (Midtkandal et al., 2019; Grundvåg et al., 2017).


Zone (BFZ), Breibogen Fault (BBF), Raudfjorden Fault (RF), Eolussletta Shear Zone (ESZ), the Vimsodden-Kosibapasset shear zone (VK), and the Andre Land Basin (ALB). Geographic references: Kh- Kronprinshoegda; Kf- Kongsfjorden; Bh- Biscayarhalvoya. Map adapted from Beranek et al. (2020) and based on the geologic map of Gee (2015).

4.4 Svalbard geology, digital geology, and data mining

The Svalbard archipelago, with its pPolar climate, offers vegetation-free and well-exposed outcrops testifying a diverse tectono-stratigraphic evolution of the region. Geologically, Svalbard is presently the emergent part of the Barents Shelf but has pre-Eurekan been linked to Arctic Canada and northern Greenland. The nearly continuous stratigraphic record from the Devonian to the Paleogene (Olaussen et al., 2024) provides evidence of Svalbard's overall northward drift-motion through time, overprinted by changing tectono-stratigraphic configurations. These include mid-Carboniferous rifting, Permian platform carbonates, Mesozoic siliciclastic deposits intruded by an igneous complex and a Cenozoic fold-and-thrust-belt with an associated foreland basin. Late Cenozoic sediments are not present onshore Svalbard but occur in depocentres along the northern and western shelf margins off Svalbard.

However, Svalbard's high Arctic-latitude position means that the rocks are snow-free and accessible only during a short summer season, typically from June to mid-September. During these times boat-based transport and hiking is possible. Conversely, snow cover provides relatively easy access to large-scale inland outcrops via snowmobile (that are too difficult to reach by foot) during the winter season with adequate light, from March to early May. The high seasonal dependence, combined with sudden weather events, has motivated us at UNIS to systematically acquire and openly share digital outcrop models (DOMs) and photospheres through the Svalbox database (Betlem et al., 2023; Senger et al., 2021b). These DOMs are georeferenced high-resolution 3D representations of the outcrops and facilitate quantitative sedimentological and structural work. Through Svalbox, the DOMs are also put in a regional context through spatial integration of maps (geological, topographical, paleogeographic, geophysical etc.), surface (digital terrain models, satellite imagery etc.) and subsurface (boreholes, geophysical profiles, published cross-sections etc.) data, as illustrated for the Festningen geotope by Senger et al. (2022). Photospheres are systematically acquired as part of regular Svalbox campaigns and

thematically grouped in virtual field trips using the VRSvalbard.com platform (Horota et al., 2024). These drone-based 360° photographs provide a bird's eye perspective of the visited sites and are complementary to the more quantitative DOMs. Photospheres are also integrated in thematic data sets, for instance related to the West Spitsbergen Fold-and-Thrust belt (Horota et al., 2023) visited during the
525 October 2022 field campaign, to facilitate data access and the development of student projects. Students actively use these digital resources in the course both to prepare for field work and to conduct quantitative analyses as part of their individual research projects (Figure 67).



§30 **Figure 67:** Synthesis of key digital tools made available to the students. A) Svalbox map
(www.svalbox.no/map) interface with digital outcrop models (blue dots) and photospheres (red
§35 **dots**). B) Example of a digital outcrop model of compressional tectonics at Lagmannstoppen
(Lord et al., 2021). The model was used as a basis of a research project in 2023. C) Zoom-in of the
Svalbox map interface across the famous geotype profile at Festningen. The geological layer is
§35 **now** used as a base map. D) Thematic virtual field trip of ~~the~~ Paleogene transpression that has
amongst others tilted the layers at Festningen. The field trip is related to a thematic data set used
in the course (Horota et al., 2023). E) Overview of photosphere coverage in the VRSvalbard
platform (www.vrsvalbard.com/map; Horota et al., in ~~2024~~**2024**~~review~~), including photospheres
540 specifically targeting the AG-x51 course.

4.5 Geochronology and thermochronology

Providing constraints on the absolute timing and duration of deformation ~~and as well as~~ magmatic, metamorphic, or stratigraphic processes is of critical importance for deciphering the plate tectonic

evolution of the Arctic. Radiometric dates serve as both input parameters and/or testable benchmarks

545 for tectonic and thermal processes on all scales, ranging from plate tectonic reconstructions, timing of
magmatism, or basin burial and maturation. The geochronology and thermochronology component of
the AG-x51 course consists of three different learning modules: 1) overview and theory of radiometric
dating methods, 2) application to tectonic and magmatic processes in the Arctic, and 3) hands-on
exercises in detrital zircon U-Pb provenance analysis. The overview and theory for the geochronology
550 portion covered the basics of radioactive decay including which long-lived isotopes undergo radioactive
decay and are commonly used in earth science applications, half-lives, how we can use the measured
daughter and parent isotope ratios to calculate an age, and what makes a good mineral or system to use
(i.e., radioactive parent with well-defined half-life, no non-radiometric daughter isotope at t=0,
mineralogic stability, etc.). We then focused on U-Pb geochronology, which is widely applied
555 everywhere including the Arctic, and how we measure, calculate, plot and evaluate U-Pb ages.
We discussed how U-Pb chronology can be applied to a wide suite of Arctic questions with specific
examples including dating HALIP around the Arctic (Evenchick et al., 2015; Corfu et al., 2013) and
paleogeographic reconstructions using detrital zircon U-Pb provenance (Anfinson et al., 2012). The
thermochronology portion introduced thermally activated diffusion and closure temperature (Dodson,
560 1973) as they apply to noble gas thermochronology (i.e., Ar-Ar and (U-Th)/He systems), and the basic
principles of fission track thermochronology. We discussed the differences in geo- and
thermochronology, and then the power of combining different methods to understand thermal and
tectonic histories and discussed an example of using $^{40}\text{Ar}/^{39}\text{Ar}$ thermochronology to understand Eureka
deformation on Svalbard (Schneider et al., 2019). The students were then introduced to geochron.org, a
565 public database for geo- and thermochronology data, and did various searches for data so they learned
resources to acquire and use available geochronologic data in their own projects.

4.6 Volcanism and paleoenvironmental implications

570 The climatic impacts observed from historical volcanic eruptions are well documented [in the geological record](#), which allows us to assess the possible effects of elevated magmatic activity [through time-in-the](#)

Formatted: Superscript

Formatted: Superscript

[geological record](#). Global climate is both dynamic and complex, and there is a plethora of ways that volcanic activity can influence local, regional, and global environmental conditions. This section of the course begins with an introduction to volcanism and magmatic systems, covering how melts are produced and how factors such as depth and degree of partial melting affect the melt composition. We then focus on the primary constituents of the melt, and how this affects the physical properties of the magma such as viscosity and saturation of volatile phases. We then follow the magmatic plumbing system towards the surface and investigate how these factors drive the style and explosivity of eruptions with the aid of a practical class. We end this section of the course by applying this information to outcrops in Svalbard, including the ash layers in the Paleocene Firkanten Formation around Longyearbyen and also in Permian-Triassic sediments at Festningen. These layers act as marker horizons, which are used to help constrain plate reconstructions in the Arctic (Jones et al., 2017).

Once an understanding of volcanic processes has been established, we introduce the concepts of regional and global climate. This includes concepts such as the greenhouse effect and how changes in atmospheric concentrations of greenhouse gasses affect the climate through time. We then take this information based on current observations into the paleoclimate realm, covering what methods of proxy data are used to estimate paleoenvironmental conditions, and at what timescales each of these proxies can be used. Once these key ideas are established, we focus on volcanism and how elevated activity can perturb the climate system. This includes emissions of climate-sensitive gasses such as sulfur and carbon species, and how different sources (e.g., volcanic degassing vs. emissions from contact metamorphism around shallow intrusions) have differing climatic impacts. We also consider post-eruption processes, such as the silicate weathering of volcanic ash as a significant atmospheric carbon sink. This section of the course is concluded by investigating examples of large-scale volcanic activity and environmental disturbances in the geological record in Svalbard, including the North Atlantic Igneous Province coeval with the Paleocene-Eocene Thermal Maximum, [the coincidence of HALIP and Cretaceous Ocean Anoxic Events \(OAEs\)](#), and the Siberian Traps being emplaced at the same time as the end-Permian mass extinction.

The role of contact metamorphism in Large Igneous Provinces (LIPs) is manifold and is directly relevant for the Svalbard archipelago. One of the most important effects of LIPs is the thermal impact of magma on the host rocks. The associated thermal maturation and/or cracking of organic matter found in sedimentary host-rocks not only impacts hydrocarbon resources but also was responsible for releasing massive quantities of greenhouse gasses in the Earth's past resulting in multiple mass extinction events (Svensen et al., 2004; Wignall, 2001; Hesselbo et al., 2002). Numerical modelling of these processes is an important tool to understand the effects they have on the environment and to also better constrain the physical parameters that drive them.

The course introduces the general physical processes and the associated equations that occur during magmatic emplacement. Basic modelling concepts, its advantages, uses and caveats are outlined. A practical course that walks the students through the modelling of sill complexes with global examples and data from various LIPs is carried out using ~~SILLi~~1D (Iyer et al., 2018), with specific focus on HALIP magmatism in Svalbard (Brekke et al., 2014; Senger et al., 2014a). ~~SILLi~~1D is an open-source, 1D FEM modelling tool that is specifically tailored to study the thermal effects of sill intrusions on the surrounding host-rock. Model input is provided using MS Excel worksheets, which makes it accessible to a large audience with no previous programming skills. Input data is provided in the form of a simplified present-day well log or outcropping sedimentary column and includes relevant rock parameters such as thermal conductivity, total organic carbon (TOC) content, porosity and latent heats. Multiple sills can be emplaced within the system with varying ages and temperatures. Besides sill processes, the model also includes sedimentation and erosion, if any, to account for realistic basin evolution. The model output includes the thermal evolution of the sedimentary column through time and the host-rock changes that take place following sill emplacement such as TOC changes, thermal maturity (vitrinite reflectance) and the amount of organic and carbonate-derived CO₂. Rock parameters such as thermal conductivity and porosity are uncertain but only play a secondary role in controlling the overall thermal effects in a sill complex. The relative timing of sill emplacement together with emplacement temperature, however, exert first-order thermal control in the aureole around a sill complex. These parameters are also not well constrained. The ~~Sill~~-~~SILLi~~ models can be used to better constrain such parameters if calibration data such as vitrinite reflectance is available by minimizing the

error of the modeled results to the data. The amount of erosion also affects the background thermal maturity and can also be better estimated, similar to sill emplacement parameters, by comparing the modeled maturity to the data. A number of examples are worked through with the students with a few examples set aside as supervised exercises. The students are also encouraged to use the tool to investigate sill-complex outcrops from the HALIP.

Formatted: Font color: Black

4.7 Field Safety

Undertaking safe field operations are of paramount importance, and compulsory safety courses are held for all students and guest-lecturers participating in the field component of the course. Usually, the courses are coordinated by the experienced safety and logistics staff of UNIS and are held over two-to-three full working days within the first week of the course. While experience is not something that can be trained, the strategy of the safety training is to give all participants irrespective of academic position the required skills to be able to make informed decisions about safety when in the field. One day is spent on safe rifle handling and polar bear encounter prevention, culminating the day with a practical shooting exercise at the rifle range outside Longyearbyen. The second day involves season-specific training, either survival suit/small boat operations (for fieldwork in summer/autumn) or snowmobile safety and driving, sled packing, travel on sea ice/glaciers, and avalanche rescue (for fieldwork in spring). A third day included first-aid techniques, and navigation and communication protocols. Prior to undertaking any field work (which by UNIS rules is defined as anything outside the UNIS building), briefings are held by all trip attendees and UNIS safety staff representatives. Before and during the fieldwork, plans were regularly adapted to account for weather conditions and wildlife sightings. As an example, the Paleogene basin infill sequence was only investigated from a distance, aboard the M/S Polarsysse, in October 2023 due to a polar bear sighting in the area (Figure 88D).

4.8 Field work

Field work is an integral part of all UNIS courses and also this course is designed around ~~the a strong~~ field component (Table 1; Figure 78). ~~The time of year and season(s) of~~ ~~Due to the changing seasons at~~ ~~which time~~ ~~when~~ the course ~~was run~~ ~~was held~~ ~~we have had to~~ ~~dictated~~ the locations and operational requirements of the field-work, and had to be adaptable to changing environmental conditions and any unforeseen logistical requirements at any time ~~and options~~. Nonetheless, the field work always tied the broader Barents Shelf and Arctic Geology evolution to outcropping units that the students were describing and discussing as part of their field tasks. ~~We detail selected field sites below, including the sites of~~ ~~Festningen~~ ~~Festningen~~, ~~Diabassoden~~ ~~Diabasodden~~, the West Spitsbergen Fold-and-Thrust belt, the Central Spitsbergen Basin, and Billefjorden.


The Festningen profile, Svalbard's only geotope (i.e. an area formally protected because of geology), was visited both in late summer and early spring (~~where we~~ ~~one year~~ experienced a 0.5 m snowfall in the month of May). At Festningen, the students were able to visit and describe the main stratigraphic intervals and discuss correlations to the Barents Shelf and other Arctic basins. The entire section has been digitalized as a high-resolution DOM and integrated with geoscientific surface and subsurface data (Senger et al., 2022), which the students actively use in both preparing field stop preparations and post-field work analyses.

Another key target for the field campaigns are the exposures of the Diabasodden Suite (Senger et al., 2014b; Dallmann et al., 1999), the local equivalents of the Early Cretaceous HALIP. The dolerites are exposed throughout Svalbard and we often targeted the excellent exposures at Botneheia and Grønsteinfjellet. Here both sills and dykes are well exposed, and intersect a potential CO₂ storage reservoir-cap rock system. This provides a theme for discussing how igneous plumbing systems affect subsurface fluid flow and also how the Svalbard dolerites correlate to the circum-Arctic HALIP.

Depending on the season and transport options, we also visit sites of relevance for tectono-stratigraphic evolution. These include the West Spitsbergen Fold-and-Thrust belt (~~WSFTB~~, the Svalbard part of the

680 Eureka mountain building event affecting large parts of the Arctic; Braathen et al., 1999; Piepjohn et
al., 2016) and the associated foreland basin, the Central Spitsbergen Basin (Helland-Hansen and
Grundvåg, 2020) as well as the mid-Carboniferous rift basin at Billefjorden (Smyrak-Sikora et al.,
2019). Key sites that cannot be visited in person are addressed in lectures and using digital outcrop
models and virtual field guides including the WSFTB thematic data package provided by Horota et al.
(2023).

685






Figure 78: Snapshots from the field component of the course. **A)** Investigating a HALIP igneous intrusion from a small boat and walking at Tshermakfjellet in July 2019. **B)** Investigation of the Early Cretaceous Helvetiafjellet Formation at Festningen, Oct 2022. The Polarsysssel boat used as a base is in the background. **C)** Fieldwork at the Festningen profile, late April 2023. **D)** Polar bear seen through binoculars aboard the Polarsysssel, Van Keulefjorden, Oct 2022. **E)** Clinoforms in the infill sediments of the Central Spitsbergen Basin, as seen from Reindalen, late April 2023. **F)** Scooter-based excursion to Isfjord Radio, late April 2023. Thrust tectonics related to the West Spitsbergen Fold-and-thrust belt are seen on the Vardeborgsfjellet mountain in the background. **G)** Investigation of the lower contact between a HALIP dolerite intrusion and Permian carbonate-dominated host rocks at Blomesletta, October 2023. Note the survival suits used for safe access to this beach-side locality. **H)** Overview map with key field sites investigated as part of the course, including Festningen (I), the Dicksonfjorden-Billefjorden area (J) and Van Keulenfjorden (K). Possible day excursions on snowmobiles from Longyearbyen are illustrated on H.

Table 1: Summary of field activities undertaken as part of the course. LYR = Longyearbyen

Field period	Locations	Platform
August 2018 (pilot course)	Diabasodden	Day trips (via boats) from LYR
June-July 2019	Tshermakfjellet, Diabasodden, Endalen	Day trips (via boats) from LYR

Commented [KS44]: R1 comment:

Finally, I can see that the fieldwork is important part of the course but there is very little information about field locations. Some names mentioned in the text are not well introduced. I would like to see NEW FIGURE 3 with a map showing the location and maybe the gps track of summer/ spring fieldwork with a geological map as background and additional information which geological event is considered an objective for the excursion: e.g. HALIP, WSFTB, CSB, ect..

Commented [KS45R44]: Updated figure with maps and main themes of the visited locations

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

2020-2021	no course due to Covid-19 restrictions	
Oct 2022	Diabasodden, Grønsteinfjellet, Van Keulenfjorden, Ekmanfjorden, Billefjorden	Day trip (via boat) from LYR 4-day overnight excursion aboard Polarsysse
April-May-June 2023	Botneheia, Festningen, Reindalen	Snowmobile-Day trips (via snowmobile): Both day trips and 3-day overnight trip with base at Isfjord Radio
April-May-June 2024	Sassendalen, Botneheia, Grønfjorden and Reindalen	Day trips (via snowmobile)
Spring season options	Sassendalen, Botneheia, Grønfjorden and Reindalen	Day trips (via snowmobile)
Anytime	Longyearbyen township	1-2 hour walking tour

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt, Norwegian (Bokmål)

Formatted: Font: 10 pt

Formatted Table

Formatted: Norwegian (Bokmål)

Formatted: Font color: Black, Norwegian (Bokmål)

Formatted: Font: 10 pt

Formatted: Font: 10 pt, Norwegian (Bokmål)

Formatted: Font: 10 pt

5 The AG-x51 course: assessment

All students must complete and pass the assessments to pass the course and receive the 10 ECTS credits. The assessment was broken into three components for the PhD-level students and two for the Masters students.

1. A pre-course assignment which comprised an oral presentation of a scientific peer-reviewed paper which was presented to the class in the first weeks. The students could choose which paper to present from a set list provided before the start of the course. This presentation was worth 20% of the final grade for the PhD students (0% for the Masters students).
2. An oral presentation of a small research project in the final week of the class that had been developed throughout the course. This presentation was worth 20% of the final grade for all students. The idea was that the students would be exposed to a range of Arctic geology topics, datasets and software and would choose their proposed topic within the first 2 weeks, with ongoing guidance from someone from the lecturer team throughout the course. The students were encouraged not to simply choose a topic they may already be familiar with (or that formed their existing Masters of PhD-level thesis), but to use this opportunity to learn new skills and knowledge.
3. A "Geology" journal-style paper (4 pages including figures, tables, references) which was handed in around two weeks after the course had concluded. This paper would be based on the

research project presented in point 2, and was worth 60% of the final grade for PhD students and 80% for Masters students.

Final grades were a letter grade from A (excellent) to F (fail) and delivered ca. 1 month after the end of the course. For the oral presentation of the projects, the students were given peer-evaluation forms to help provide constructive feedback to each other and encouraged to ask questions.

The research projects, with titles listed in Table 2, reflect the broadness of the course and also the student's own research interest. Numerous project ideas with associated data sets were made available, but students could also develop their own project ideas. Some of the projects, for instance those looking contact metamorphism studies using Sih-SILLi or plate tectonic reconstructions using GPlates, were directly tied to one of the course modules. Weekly update meetings with the lecturers were conducted with the students to ensure smooth progress. However, a lot of individual responsibility for time management was also strived to reflect the challenges of authentic life geologists will experience in future careers, be it in academia or the private sector.

Table 2: Titles of student research projects conducted over the years, and the diverse geographic background of the students. 15 students participated in the pilot course in 2018 but no individual assessment was conducted in the short course.

2019 (13 students)	2022 (15 students)	2023 (14 students)	2024 (13 students)
Students from institutions in Norway, Russia, Netherlands, Sweden, Germany, USA and Austria	Students from institutions in Norway, Netherlands, Estonia, Finland, Canada, Germany, USA and Austria	Students from institutions in Norway, Denmark, Sweden, Finland, USA, Germany, Switzerland, Austria and Netherlands	Students from institutions in Norway, Sweden, Finland, Germany, Poland, France, UK
Lecturers from institutions in Norway, Russia, Canada, USA	Lecturers from institutions in Norway, USA, Canada, Germany	Lecturers from institutions in Norway, USA, Germany, Sweden	Lecturers from institutions in Norway, USA, Germany, Sweden, Switzerland, lecturers from institutions in Norway, USA, Germany, Sweden
Paleogeographic reconstruction of the Amerasian Basin during the Mesozoic through geophysical observations	Linking tomography anomalies to Arctic subduction: voting for the best candidate	Early Cretaceous High Arctic LIP timing with anoxic events	Linking geochemistry and geodynamics of recent volcanism in NW-Spitsbergen

Formatted: Font: 8 pt

Formatted Table

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Commented [KS46]: Andrew and Pascal participated in the course in 2018 but I don't think either were there as formal guest lecturers in 2019 or 2022...

Grace
Carmen
Morgan
Danny
Owen
Karthik (from 2022)
Sten-Andreas
Jan Inge
Kim
???

Commented [KS47]: When did Morgan move?

Commented [MJ48R47]: 2024

Commented [MJ49R47]:

Commented [MJ51R50]: 2024 😊

Commented [MJ52R50]:

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted Table

Exploring the possibility of a common mantle link between the Iceland Plume, the High Arctic Large Igneous Province, and the Siberian Traps	Assessing the use of fracture orientations in sills as a proxy for sill geometry: An example from the Diabasodden Suite of Svalbard	Heat flow modelling for geothermal potential of Longyearbyen, Svalbard	Late Carboniferous rift basin development: Virtual field trip - a case study for sedimentary basin evolution	Formatted: Font: 8 pt
Structural analysis of the Old Red Sandstone Munindalen outcrop (Dickson Land, Svalbard)	A large-scale Virtual Outcrop Model geometrical analysis of igneous intrusions: A central Spitsbergen example.	Modelling Svalbard sill intrusions and resulting greenhouse gas emission from contact metamorphism	The Barents Sea through time – quantification of paleogeography	Formatted: Font: 8 pt
Quantifying fracture networks in doleritic sills from Diabasodden, Svalbard	Satellite and airborne geophysical potential anomalous expressions of the crustal structure in Svalbard	Mapping of Igneous Intrusions using Onshore Magnetic Data	Assessing Palaeogene infill of Central Basin from core records of the Firkanten, Basilika, and Grumantbyen Formations	Formatted: Font: 8 pt
Fracture analysis of Hatten intrusion in Isfjorden, Svalbard	Tectonic reconstruction of the Yermak Plateau and Sophia Basin, NNW of Svalbard	Fault-magma interactions: investigating the influence of faults on magma emplacement on Spitsbergen and Edgeøya	Greenhouse gas emissions from bedrock in Svalbard – Mapping of potential hotspots in the Adventelva catchment	Formatted: Font: 8 pt
HALIP and its possible impact on Mesozoic climate: modeling data for Svalbard	The Late Mesozoic to Early Cenozoic plate-tectonic evolution of the Greenland-Barents Sea shear margin	Geochemical signatures of HALIP volcanism in sedimentary record	Approaching geology with language – The geological meaning of place names in Svalbard	Formatted: Font: 8 pt
Modelling the Eurekan deformation in the Arctic, an integration of geophysical and geomorphological observations in Gplates	Petrophysical evaluation of intrusions and associated contact metamorphic zones	Tectonic Evolution of the Barents Sea Margin: Fitting the Puzzle	Structural evolution in pre-Devonian basement within the inner Billefjorden, Svalbard, based on remote sensing	Formatted: Font: 8 pt
Paleocurrent, stratigraphic analyses, and the detrital zircon record of the Devonian strata in the Arctic region	Gas generation in contact metamorphic aureoles: Sills and stacked Sills	Modeling gas generation in contact metamorphic aureoles of the Botneheia stacked sill intrusions	HALIP Volcanism in the Sverdrup Basin in Canadas Arctic Archipelago - A link between age and magma composition and geophysical data	Formatted: Font: 8 pt
The impact of contact aureoles on seismic imaging: A central Spitsbergen example	Deep-time paleoclimate in the arctic: Proxy response at the Permian-Triassic boundary.	Metallic mineral potential of selected High Arctic Large Igneous Provinces (HALIP) in circum-Arctic	Relating Seismic Anisotropy and Upper Mantle Dynamics in the Arctic	Formatted: Font: 8 pt
Comparison of two enigmatic suture zones in the Arctic: the South Anyui Suture and the Caledonian suture.	HALIP signal in the circum-Arctic stratigraphic record	Analysis of Digital Outcrop Models of the West Spitsbergen Fold and Thrust Belt	HALIP intrusive rocks in the Barents Sea: Identification and their underlying geophysical datasets	Formatted: Font: 8 pt
Trigger of the Permian-Triassic Mass Extinction: Impact or Volcanism?	Svalbard's drift through geological time and its link to paleoclimate	Fracture mapping of the Hyperittfossen digital outcrop model to constrain the paleo-stress field and tectonic history of Svalbard	Estimating the rate of marine transgression from the ash and coal layers at the base of the Central Basin	Formatted: Font: 8 pt
Geochronology and Geochemistry of HALIP: clue to its origin. A review	Geodynamic Significance of Earthquakes in Svalbard	Syn-magmatic crater formation in the Arctic western Nansen Basin		Formatted: Font: 8 pt
The PETM signal in the Frysjaodden Fm. on Svalbard	Mineral Deposits of Svalbard	Crustal thickness evolution during North Atlantic rifting		Formatted: Font: 8 pt

Geothermal potential of Svalbard, regarding the Arctic Canada setting.

Burial history of Paleogene sediments on Svalbard: paleotemperature implications of the Paleocene-Eocene Thermal Maximum in the Arctic

Formatted: Font: 8 pt

Revealing Svalbard's basement using recently acquired gravity data

Formatted: Font: 8 pt

6 Student perspectives

The international approach that is needed for Arctic research was reflected in the participants of the course. Over the course of the years, students from educational institutions in 15+ different countries (Table 42), and [with nationalities](#) from all inhabited continents, have enrolled in the course.

To characterize the student experiences, we ~~have~~ designed a questionnaire about the course and the NOR-R-AM project. Students who have enrolled in the course were invited to complete anonymous questionnaire about their experiences. Students were informed that the questionnaire was a part of a research project, and that their participation was voluntary and anonymous. Students provided informed consent to participate in the project before beginning the questionnaire. The questionnaire was sent to all course participants from 2018-2023 for completion in February 2024. 27 of the 57 invitees (47%) responded (5/15 from 2018, 4/13 from 2019, 11/15 from 2022 and 7/14 from 2023). In addition, four graduate students with significant NOR-R-AM involvement (i.e. active participation in at least three NOR-R-AM activities) were invited to provide discussion of the course based on their involvement and perspectives. These graduate students are co-investigators and co-authors in this project.

In addition to the pedagogical questionnaire designed for this contribution, UNIS conducts standardised course evaluations for every course. These provide useful information for the course responsible to optimize the course from year to year. The recurring theme of these questionnaires for AG-x51 from 2019 to 2023 was that the field component was the highlight of the course.

Commented [KS53]: R2 comment:
Line 563: Can you split up the number of answers into the years? more people from the 2023 course respond than those from many years prior? Were you able to get in touch with those from 2018? email and affiliation changes over time?
This should be possible

Commented [KS54R53]: We have specified this now. When institutional emails bounced we did actively try to find other contact details through the other students. The large percentage of replies from the 2022 course probably reflects the students sharing the questionnaire link in their internal Whatsapp group

6.1 Student experiences questionnaire

765 Figure 8-9 summarizes the quantitative student experiences. The response group covers all of the four years when the course was run (2018-2023), with 55% of respondents being MSc students and 63% of the respondents never having been above the Arctic circle (Figure 8A9A). There is, as usual, a mix of students choosing the course based on the learning objectives and the course being held at UNIS. Notably, the vast majority (82%) of the respondents did not take a course on Arctic geology in the past. 770 The student background was varied, including a mix of geologists, geophysicists and economic geologists (Table 3).

The course received largely positive feedback on the number and scientific diversity of guest lecturers, and the balance between field work, lectures, and seminars (Figure 8B9B). The course contributed to 775 improving the familiarity of Arctic field conditions of the respondents, and an understanding of Arctic geology (Figure 8B9B). Approximately half of the respondents still contribute to the Arctic research community.

780 Table 3 lists a selection of responses to the more open questions. Practical skills and knowledge learned during the course include both geoscientific concepts but also the active use of different software, especially GPlates. Similarly, the biggest improvement experienced by the respondents was not just understanding geoscientific topics (with Arctic geology the key improvement for many) but also data integration, software skills, and the development of independent research projects. The teaching methods were well received and the multidisciplinary, one-on-one supervision of research projects and 785 active learning mentioned by several students. The final student comments indicate suggestions for improvement (such as more fieldwork and focus on single software) but also demonstrate the non-academic impact of the course for instance on networking and the student's personal development and networking.

Commented [KS55]: R2 comment: Were there any questions in the survey/evaluation which asked the students for constructive feedback on how the course could be improved? Whilst we can't go back in time, I do think it is a shame that the evaluation came after many years, which could make it difficult for those who joined early to remember their feedback. It would be useful going forward for us to evaluate the course each year and make changes based on that feedback. If this sort of critical feedback isn't available, perhaps the authors could reflect amongst themselves on ways the course should be improved. Do you also have any other demographic information besides country? Gender for instance?

Commented [KS56R55]: Response: We have this kind of feedback internally at UNIS, but this was not part of the pedagogical aspects of this present manuscript. But we will cover some of this in the improvement section.



Commented [KS57R55]: Kim/Marie

Commented [KS58R55]: Added a short section on this.

Commented [KS59]: Line 579: This lines up with my comment above: It is interesting that many respondents are still involved in Arctic research, but does this reflect that the majority of respondents were from 2022 or 2023 perhaps? In which case, they may still be doing their studies/PhD? Or are there also cases of longevity in their career choices? Which could be interesting to highlight if so, as this could be a further motivation of the course. We will investigate this by considering the respondents from various years, and highlight how many of the respondents are still involved in Arctic research (there are several from the first edition of the course that are in permanent academic positions with at least some polar geology focus)

Commented [KS60R59]: Kim/Marie

Commented [KS61R59]: I think this is tricky to consider without additional information of what they are doing now - we could of course highlight the ones we know are in permanent academic (industry) positions but as we don't really know who answered the questionnaire it is probably not relevant here. I will try to dig out from the response if there is a change in the respondents from 2018-2023 in terms of Arctic research contribution



community” we have also investigated the difference per year. Likert-scale plots generated using Maurer (2024).

800 Table 3: Selected responses from text-based questions on the anonymous questionnaire.

Major field of study	Sedimentology, Structural geology, Glaciology, Geophysics, Geodesy, Data-analysis, Engineering Geology, Hydrogeology, Tectonics, Seismology, Petrology, Geohazards, Geodynamics, Paleomagnetism, Higher education in geosciences, Isotope geochemistry, Geomorphology, Volcanology, Geochronology, Economic geology
What are the particular practical skills or knowledge you have acquired during AGx51?	<ul style="list-style-type: none"> • an interplay between things we normally learn in single courses • As a non-geology student, i think the most important skill/knowledge i took with me home, was the idea of the overall picture of the geological history of a region, to further understand the “very” different fields that I’m working with in my normal study/work • a better understanding of scales (related to • tectonic structures) • Short paper writing with a deadline • Working with plate reconstruction tools • doing field work in the arctic, driving a snowmobile, 3D tectonic modeling, working with svalbox models, writing a report • build 3D outcrop models • work with a big range of arctic datasets and software like: Gplates, Petrel, Svalbox, VRsvalbard, Lime, Metashape and digital field notebooks. • Creating plate tectonic reconstructions in GPlates and adding own data to it. • Geological background of the Arctic region • Arctic field safety • Improved understanding of LIPs, sill and dyke emplacement • Networking
Can you provide one fact that you have learned during AGx51?	<ul style="list-style-type: none"> • There are several ways to define a Large Igneous Province • HALIP was a tectonomagmatic event present in the entire Arctic region • Fold-and-thrust belts have different parts with different structural expressions • Uplift shaping the paleogeography • I learned that you can capture stunning and accurate surface models with ordinary drones paired with the right software in order to visualize geological relationships for later use in research and education (virtual field trips) • Fish fossils could be found in the Old Red Devonian Sandstones of Svalbard. • The Gakkel Ridge is the slowest spreading center in the world, has focused magmatism, and no transform faults • The burial history of the Central Tertiary Basin • Arctic geological research is amazing!
What was the biggest improvement in your knowledge and skills that you attribute to participating in the course?	<ul style="list-style-type: none"> • My understanding of the geological history within the arctic area was much improved greater understanding of how the field of geology works • Field excursions developed skills in interpreting outcrops and own topic during the course enhanced information searching and writing skills. • The conception, planning and execution of the research article while incorporating new software and geological background knowledge. • better understanding of Arctic volcanism and paleo-environment • geological English, in particular, writing and presentation skills • Gplates and the importance of integrating datasets • Creating plate tectonic reconstructions in GPlates • Broader knowledge of geodynamics in general • better understanding of geochemistry • Interesting topic about the use of scientific colouration, that I use today.
How would you describe the teaching methods in AGx51? And if relevant, how did they differ in terms	<ul style="list-style-type: none"> • It was less guided than in other courses I had, which was often positive (learn to figure out a lot by myself) • There was emphasis on the student to do some background reading and self-analysis (of literature or data). • The teaching methods were suitable for a small and focussed group with an emphasis on individual progress I was not familiar with compared to the lectures/ courses at my home-university. • For me the teaching method was unique as we got lectures from so many different experts in their own respective fields in such a short period of time. While at times it was a lot of information to progress, the final research project with one of the lecturers allowed you to go more into depth about a specific topic which especially sparked your interest, not something you were necessarily familiar with.

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

<p>of teaching methods to other courses you have taken.</p>	<ul style="list-style-type: none"> • I really appreciate field work combined with working in class before and after about what we saw. Having passionate guest teachers was really inspiring. • Active Learning - hands on activities, core shack visits. • Geology-style manuscript and presentation doing our own research. • I liked the teaching methods. However, I did feel like we only had a small amount of time for our own projects. • Many lectures had a more relaxed/informal structure than lectures I have had elsewhere. • Very multidisciplinary and practical. Way more practical and one on one supervision compared to other courses.
<p>Are there any other comments not covered about that you would like to make in relation to the AGx51 course?</p>	<ul style="list-style-type: none"> • It was a very good opportunity to see how studying can be different. It was also somehow helpful to me to decide if I want to do a PhD (I got to know PhD-student much better than in normal courses and they could share their experience). I really liked meeting students from other universities and compare our experiences. • I think keeping future classes as small as possible is key for a good learning/interaction atmosphere. • I would have appreciated to focus on working with just one computer program, to get a good introduction. • I wish there were more fieldtrips! I know the logistics are hard but we went all the way there I wish I had seen more geology in-situ. Other than that, I look back on the course extremely fondly and I learned a lot. • I am so glad I participated in that course! • Those 6 weeks are in the top 3 of the best 6 weeks of my life and I'd like to thank everyone who contributed to this course and in making UNIS such a nice place in general.


Formatted: Font: 8 pt

6.2 Collective and individual student experiences

We (AS, FA, JJ, RKH) have each been involved in the AG-x51 course and the NOR-R-AM project at different stages of our research careers. We all participated in the course either as enrolled students during our MSc or PhD, and/or have assisted as polar bear guards. These perspectives allow us to collectively reflect on the course and the resulting opportunities that came from it.

The course was taught by members of the NOR-R-AM project, who are leading experts within their fields. This not only allowed us to learn about Arctic volcanism and tectonics from scientists with personal experience working in this region, but also gave us the opportunity to build professional relationships. This was made possible by utilizing the extensive time spent with our international peers and instructors during the course, including during lectures, practical sessions, research projects, fieldwork and social activities. This networking has led to many continuing personal development opportunities. To mention just a few of the opportunities, the course had profound implications on our career by collaborating with NOR-R-AM partners on our Master and PhD theses and even including some as official co-supervisors. Some of us were also able to join other NOR-R-AM courses, such as the geochronology workshop in Austin, Texas, or the field trip to Alaska (Table 4). Moreover, NOR-R-AM was able to provide travel and analysis grants to accomplish the goals of the collaborations beyond

820 those of the course. An overview of how the course functioned as a stepping-stone for further
 involvement in the NOR-R-AM program and what impact this had on our individual career paths is
 illustrated by Figure 9¹⁰.



Commented [KS64]: Figure update Fenna to Hornsund

825 **Figure 9¹⁰: Summary flow chart of the involvement of four selected students in the NOR-R-AM project, including the UNIS course and additional activities.**

6.2.1 Anna Sartell

I took the AG-x51 course as a master student in summer 2019. The teaching comprised lectures, practical sessions, field days, and the term project. For me as a student, the course promoted active

830 learning and a hands-on approach to the topics taught. The learning went beyond memorizing literature and rather we learned how to use the knowledge we gained. The clear focus on practical learning throughout AG-x51 made this course very different to the rest of my education experience, in a positive sense. The highlight of the course itself was the opportunity to work closely with one of the lecturers on our term project, to expand further on what we had learned. Looking back, the biggest highlight has

Commented [KS65]: R1 comment:
 I am missing also a NEW FIGURE 2 illustrating an outline of the course. Several modules are mentioned but the reader is left with a bit non-systematic structure of the course. An overview flow diagram listing the major modules (and activities performed as a part of the modules), including fieldwork and assessment would be beneficial.

I would therefore suggest replacing the figure 9 with a more general flow diagram mapping main course activities and modules, including type of assessment. This figure would be placed before section 4.2. Figure 9 in this context appears not very informative and not contributing to better understanding of all project activities.

Commented [KS66R65]: Course outline is now Figure 2

835 been the network that I gained from the course, which led to both my MSc and PhD theses being based
| on the topics of this course, the HALIP and including some of the lecturers as my supervisors.

6.2.2 Fenna Ammerlaan

840 In autumn 2022 I was a Master student of the AG-x51 course. For me, the teaching approach of the
different modules created a motivating environment as you recognized that you were being taught by
experts in their respective fields. I believe this increased the effectiveness of the knowledge transfer,
even though the number of teaching staff involved sometimes resulted in some overlap between the
lectures. My personal highlight was the fieldwork conducted. Integrating what can be abstract
845 geological concepts with physical observations helps to fully understand the material taught in class.
This course was unique for me due to the international environment, diversity in student and lecturer
backgrounds, intensity of the course and the fieldwork. Combining this with the remoteness of
Svalbard, it felt like being part of a small community rather than just attending a course. This
community has since become an important part of my professional network and has been key in my
850 academic career. It has resulted in a temporary research assistant job at UNIS, and -I have since
~~commeneed~~since commenced a PhD working on North Atlantic geology in Norway.

6.2.3 Rafael Horota

I was involved with the AG-x51 course both as a student (in autumn 2022) and polar bear guard (in
855 spring 2023) during my PhD in higher education research. My involvement was motivated by the
chance to gain firsthand experience from leading experts in Arctic volcanism and tectonics, and to apply
cutting-edge technology like drone data collection in the context of geological Arctic field teaching. The
teaching approach of the course, integrating lectures, practical sessions, research projects, fieldwork,
social activities, had positively impacted me as a student. A personal highlight was the possibility to
860 collect drone imagery, which was instrumental for my research, and because it supported fieldwork.

This experience, coupled with collaborations established through the course, has been invaluable for my professional and academic growth. Compared to other courses, the AG-x51 course stood out due to its hands-on approach, and its fostering of international networks. The course's blend of traditional academic learning with innovative research methods and technology application provided a richer, more engaging learning environment than I had experienced elsewhere.

6.2.4 Julian Janocha

~~Whilst I have never participated as was not~~ a student in the AG-x51 course, ~~I but I have been helping was employed as a student assistant in the summer of 2018 to work as a polar bear guard during field trips and to aid~~ -with the organization of social events ~~and as a polar bear guard in the summer of 2018~~. This was my first contact with the NOR-R-AM project. In the autumn of 2019, I had the chance to participate in the geochronology short course organized at the University of Texas at Austin. This event was one of the most influential in my research career. Learning about detrital zircon provenance and its applications I was inspired to include this in my PhD project which I started the following summer. This inspiration led to a three-month long research stay at the University of Texas at Austin in the winter of 2022 during which I accomplished a detrital zircon provenance analysis for my PhD project and my participation in the Alaska field trip. The financial contributions by NOR-R-AM for both analysis and travel costs was essential for the success of this research stay. Overall NOR-R-AM has had a large influence on my professional career by offering courses, building a professional network and by providing financial support for collaborations.

Commented [KS67]: Add a sentence on Equinor?

7 Discussion

7.1 Spatio-temporal perspective on Arctic evolution: teaching across country boundaries

Although our understanding of the geologic evolution of the Arctic is aided by geophysical surveys within the Arctic Ocean, we largely base our comprehension of this region on studies concerning the geology of the surrounding landmasses. Hence, within the Arctic, arguably more than anywhere else on earth, there is a considerable need for cross-country research and teaching collaboration to get a more

complete picture of the region's geologic evolution. This becomes even more apparent as we travel further back in time. For instance, our rather incomplete understanding of the opening of the Amerasian Basin in the Mesozoic requires correlation of tectonic and magmatic events and geologic units from the Canadian Arctic, Alaska, and northeastern Siberia (Shephard et al., 2013). ~~As we get even further back in time~~ Looking at earlier times, such as in order to understanding the extent of the late Proterozoic/ early Paleozoic Timanian Orogen, we require a comprehensive review of sparse geologic evidence of this mountain building event identified in locations such as Siberia, Scandinavia, North America, and numerous Arctic archipelagos (e.g., Svalbard, New Siberian Islands, Severnaya Zemlya; e.g., Gee et al., 2006). ~~So, the~~ The further we delve back in time, the more uncertain the reconstruction of the Arctic's geologic evolution becomes and the more a spatio-temporal perspective on Arctic evolution demands an interdisciplinary and collaborative effort that transcends national boundaries. The NOR-R-AM collaborative project has aimed to address this through providing numerous international educational opportunities (e.g., the course described in this contribution) in order to bring researchers and students from various Arctic countries together, and to gain perspective on the geology of the Arctic regions from other countries.

In addition, the vast and remote landscapes of the Arctic, coupled with harsh climatic conditions, have limited the accessibility and comprehensive mapping of geological features and acquisition of field data. The scarcity of geoscience data highlights two needs within the Arctic community: 1) cross-country collaboration to generate a reliable database to store this patchwork of data, and 2) availability of testable geodynamic models that take into account data that transcends international boundaries. Cross-country initiatives, such as the NOR-R-AM project, are necessary to bring together researchers from various nations (Table 2) to pool their expertise and resources. This collaborative approach recognizes that no single country possesses the entirety of the puzzle; instead, a mosaic of insights from different perspectives is required to construct a comprehensive narrative of the Arctic's geologic evolution.

Commented [KS68]: R2 comment:

Line 685: What are the nationalities/affiliations of the lecturers and guest lecturers? Does this course bring together not only students from diverse places but also the lecturers? One can look at the author list of course, but I assume these are not all the guest lecturers from over time.

Ok, we will incorporate this.

Commented [KS69R68]: Kim (I will add this as a column on the Table 3)

Commented [KS70R68]: Added now in Table 2

7.2 Lessons learned: data, tools, software, workflows

915 From the onset we have designed the course with focus on active, hands-on learning at the expense of
frontal lecture-based education. ~~The~~ culmination of this ~~are~~ ~~was~~ the delivery of the student research
projects where adequate (but not infinite) time is allocated to test a scientific hypothesis using the
provided data and skills sets.

920 To make the course as authentic as possible, we teach and integrate a broad range of softwares and tools
(Table 4). Obviously there is ~~no~~ insufficient time within a 6-week course period to go in depth in all of
the relevant ~~se~~ topics, ~~but~~ and we take the approach to expose the entire class ~~is introduced to all the~~ as
many tools and topics and possible and ~~given a demonstration~~ provide them with an active-learning
approach. For data mining purposes, the GPPlates and SILLi programs ~~these~~ are also linked to hands-on
925 exercises for the entire class. For smaller student groups that use a specific software, sometimes only
available under specific licenses, during their term projects additional hands-on sessions are organised.
In addition, we used a pre-course questionnaire to identify the strengths of individual students (for
instance significant experience in GPPlates) who acted as additional tutors in the hands-on sessions to
assist their peers.

930 With such diverse software we have devised pre-loaded projects in Petrel and GPPlates softwares (Figure
~~4011~~), with the data packages available to anyone as part of the supplementary material (Senger and
Shephard, 2023). Petrel is largely used to spatially integrate surface (terrain models, bathymetry,
geological, topographical and satellite maps) with subsurface (borehole and geophysical data plus
935 geomodels). The thematic data set provided for the AGx51 builds on the ongoing Svalbox project. The
key benefit of such direct integration is to spend less time on data loading and more time on the
scientific benefits of data integration, for instance in the AGx51 student projects. The integration of
multi-physical data, for instance ~~aero~~ geophysics with geology, also facilitates joint interpretation.
Finally, the provision of curated (and regularly updated) databases as we do for the AGx51 course is
940 even more important in the Arctic where data are often fragmentary and acquired sparsely over a large
area.

Commented [MJ71]: ?

Commented [KS72R71]: Removed aero, as some of the students worked on ground based geophysical surveys and satellite data...




Figure 1011: Synthesis of the spatial and temporal elements provided in the supplementary material (Senger and Shephard, 2023). A) Interactive geological map of Svalbard also showing the location of published profiles (dashed lines; includes both seismic profiles and geological cross-sections) and location of boreholes and selected published sedimentary logs from outcrops. B) Zoom-in of a 3D view of Billefjorden where a digital terrain model was draped with a geological map and two profiles across the Billefjorden Fault Zone are co-visualized. C) Published paleogeographic map (Dallmann (2015) from the Barremian (125 Ma), overlain with the extent of HALIP magmatism onshore Svalbard. D) Published magnetic anomaly map (Dallmann 2015). E) Example of crustal thickness map at present day as illustrated in GPlates. The software also facilitates the digital visualisation of plate tectonic reconstructions through geological time.

Table 4: Tools, software and key data sets used in the course include a mix of free and open-software and proprietary software. All software programs or tools were accessible for all of the students (whether in computer lab or personal laptop) and were used for the individual student research projects.


Software/tool	Course module	Reference or link
GPlates	Plate tectonics	https://www.gplates.org/ Müller et al. (2018)
SubMachine	Mantle structure	http://www.earth.ox.ac.uk/~smachine Hosseini et al. (2018)

Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt
 Formatted: Font: 10 pt

understanding of Earth's evolution but will also have the added benefit of recruiting students to the
975 geosciences and bridging the gap between geoscientists and data scientists.

The complex spatial-temporal tectono-magmatic evolution of Svalbard imposes logistical challenges to
exemplify geological concepts in the field within the framework of the AG-x51 course. However,
modern technology and digital tools provide innovative solutions to overcome these obstacles.
980 Geospatial data and GIS are essential for creating detailed maps of the region, facilitating the teaching
of concepts like tectonic evolution and volcanic processes. 3D modeling and visualization tools allow
for the creation of immersive models that aid in understanding complex geological structures by
supporting 3D thinking. Remote sensing technologies, such as drones and satellites, provide real-time
data and images, enabling students to change the observer's perspective when analyzing large scale
985 geology. Digital workflows and analytical tools streamline data analysis, while online collaboration
platforms enhance collective learning experiences. Virtual field trips offer a safe and accessible way for
students to explore Svalbard's geological features, fostering a deeper understanding of the region's
unique geology. In essence, the integration of these digital tools and workflows empowers students to
engage in hands-on learning, regardless of the remote and challenging environment of Svalbard.

990
In the unforgiving Arctic field sites such digital tools are almost a must to overcome the various
challenges of field teaching at Svalbard (Senger et al., 2021a). However, learnings from the Arctic, be
they technological, pedagogical or both, can also be adapted at more temperate latitudes to improve
accessibility (Whitmeyer et al., 2020; Atchison and Libarkin, 2013). We are also strong proponents that
995 active and targeted digital geoscience tool usage in both education and outreach can significantly
improve the diversity challenge faced by the geosciences (Hall et al., 2022).



1000 **Figure 1112:** Synthesis of data systematically acquired as part of the AG351/851 course and
 1005 openly available on VRSvalbard (<https://vrsvalbard.com/ag-351-851/>; access via main QR code).
 The geological inset map illustrates the photosphere and digital outcrop model coverage in Van
 1010 Keulenfjorden where the Central Basin infill is well exposed. The interactive map at
<https://www.svalbox.no/map> is accessible with the QR code. The low inset image illustrates a
 digital outcrop model of the 310 m high mountain Grønsteinfjellet visited during fieldwork in
 October 2022 (<https://sketchfab.com/3d-models/grnsteinfjellet-7185d44b49d74a9daad35f438d52cf2a>). The Botneheia locality as visited in April 2023 provides an
 excellent exposure of a HALIP dyke. Photospheres taken in summer complement the winter
 snow-covered conditions and are freely available through <https://vrsvalbard.com/botneheia/>.

7.4 Beyond the AG-x51 course: NOR-R-AM educational activities

In this contribution we have focussed on the AG-x51 NOR-R-AM flagship course that also continues
 beyond the project period, however, Table 5 lists other educational and outreach activities undertaken as

part of the NOR-R-AM project. The geographic and thematic diversity of these events testifies to the international and multi-disciplinary nature of the NOR-R-AM project. Two workshops are further detailed below.

The 2023 Marine Seismology Workshop was organized jointly by the Canadian National Facility for Seismological Investigations (<https://nfsi.ca/>), Dalhousie University (Halifax, Canada) and the University of Ottawa, and invited participation from various international graduate training programs including NOR-R-AM. In total, 40 participants from 15 different institutions across 6 different countries attended the workshop, including 20 graduate students. The workshop program featured foundations in theoretical and applied seismology, hands-on practical exercises on the computer, a tour of the facility and demonstration of instruments and ancillary gear, a deployment of broadband ocean bottom seismic stations offshore Halifax, a survey proposal planning competition, and research seminars by invited guest speakers. This activity was an integral part of the NOR-R-AM WP3 on Arctic Seismicity and Deep Interior and combined seismological field training with Arctic tectonic discussions and challenges associated with survey planning.

A one-off geochronology workshop was held 4-9 November 2019 at the University of Texas in Austin. The course provided an introductory understanding of geochronology and thermochronology with in-depth theoretic and practical exposure to U-Pb and (U-Th)/He geo- and thermochronometry. The main course objective was to introduce students to the methodologies, analytics, data reduction and interpretation in U-Pb geochronology and (U-Th)/thermochronology. The course covered theoretical aspects of U-Pb and (U-Th)/He dating, practical aspects including sampling strategies, mineral separation and preparation. Students were exposed to hands-on analytical training in the laboratory using samples collected in Svalbard from grain to data. Besides theoretic and practical analytical training, the students also learned how to interpret detrital zircon U-Pb data for paleogeography and tectonics restoration with emphasis on the Paleozoic and Mesozoic Arctic regions. For this purpose, students used zircon databases and GPlates software and learned how DZ U-Pb and He data could be used for improving plate tectonic models and reconstructions.

Commented [KS74]: R2 comment:
Line 773 – 793: I personally don't see the need for including this section – Table 5 is enough.
Ok, we will remove this section and rather expand Table 5 with some comments.

Commented [KS75R74]: Fixed, still need to update Table 5 with some of the removed text.

Table 5: Overview of NOR-R-AM educational and outreach activities to-date. The location of the activities is plotted in Figure 1.

Event and location	Date	Comments
International Conference on Arctic Margins ICAM-X – Bremen, Germany	16-21st March 2024	Numerous NOR-R-AM members involved in organization and presentations at the 10 th International Conference on Arctic Margins.
Science graphics workshop	8 May 2024	1 day Workshop “Scientific and Accessible Graphic Design” open to all of UNIS with ca. 50 attendees, including students, academic, administrative, and technical staff. Course covered principles of good graphic design, scientific colours, and the s- Ink.org platform. Supported from iEarth funds.
Alaska transect field trip	25 August-5 September 2023	ca. 25 NOR-[R]-JAM participants and guests participated in a 2 week field excursion from the south to the north of Alaska, from Homer to Galbraith Lake. Such a transect took the participants across a number the vast number of accreted and deformed terranes of Alaska. The group were also treated to sites related to permafrost, past glaciations, the Trans-Alaska pipeline, and local culture and history.
Maine Seismology Workshop, Dalhousie University in Halifax, Canada.	May-22-26 May 2023	ca. 40 participants, 4 of which from NOR-R-AM, attended a 5-day workshop to get training in marine seismology, including passive and controlled source methods, ocean-bottom seismic instrumentation, deployment/recovery and location on the seafloor, data collection, data processing, and survey proposal planning.
Svalclime workshop, UNIS, Longyearbyen	18-22 Oct 2022	Magellan+ workshop on scientific drilling in Svalbard for deep-time paleoclimate, see Senger et al., 2023 for details
International Conference on Arctic Margins ICAM9 - Ottawa Canada	13-15 th June 2022	Numerous NOR-R-AM members involved in organization and presentations at the 9 th International Conference on Arctic Margins
Fagradalsfjall eruption in Iceland webinar, online	10 June-10th 2021	The American Geosciences Union (AGU) and NOR-R-AM hosted a webinar which saw over 300 live attendees tune-in. For more information please see the link below. A recording of the webinar is available at https://youtu.be/O5-ALyvDem4 .
Geochronology short course at University of Texas at Austin, USA	3-10 November 2019	Introductory understanding geochronology and thermochronology with in-depth theoretic and practical exposure to U-Pb and (U-Th)/He geo- and thermochronometry. .
EGU General Assembly sessions, Vienna, Austria	19-30th May 2021 4-8th May 2020 7-12 April 2019 8-13 April 2018	Arctic geology specific sessions led by NOR-R-AM participants; “The Arctic connection – plate tectonics, mantle dynamics and paleogeography serving paleo-climate models and modern jurisdiction” or “The Arctic connection – geodynamic, geologic and oceanographic development of the Arctic.”

Commented [GS76]:

Formatted: Font: 8 pt

Formatted Table

Formatted: Font: 8 pt

Formatted: Font: 8 pt, Font color: Black

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

AGU Chapman conference, Selfoss, Iceland	13-18 October 2019	“Large-scale volcanism in the Arctic: The role of the mantle and tectonics” conference was of the major outcomes NOR-R-AM, bringing together 100 international researchers from wide-ranging backgrounds and career stages. Iceland (town of Selfoss) was chosen as a half-way meeting point for the European and North American based communities.
AGU Fall Meeting session, Washington, USA	10-14 December 2018	Arctic geology specific sessions led by NOR-R-AM participants; “The Arctic Connection: investigating the tectonic evolution of the Circum-Arctic” (Session ID: 49611 Session Title: T046).”
Wilson cycle fieldtrip	August 2019	Journey from eastern to western Norway through the Norwegian Caledonides, to look at rocks that tell the story of the Wilson Cycle (The formation of wide continental margins, oceanic crust, island arcs and the final continental collision and mountain building). Series of 4 documentaries released on YouTube. https://www.mn.uio.no/ceed/english/about/blog/2022/the-wilson-cycle-in-4-stages.html
Field trip to Eastern Siberia	August 2018	6 NOR-R-AM participants participated in a 3 week field excursion in NE Siberia. They crossed the Verkhoyansk fold belt from west to east, sampled Mesoproterozoic to Cretaceous strata for isotopic study, did structural investigations.

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

Formatted: Font: 8 pt

8 Conclusion

1045 In this contribution we have outlined an international collaboration project, ‘NOR-R-AM’ (“Changes at the Top of the World through Volcanism and Plate Tectonics”) and specifically focussed on a graduate course on “Arctic Tectonics and Volcanism” held annually at the University Centre in Svalbard since 2018. The presented article and the supplementary data package are intended to serve as a foundation for teaching Arctic geology elsewhere than at UNIS, albeit without the field component. We conclude that:

Commented [KS77]: R2 comment:
Conclusions: Perhaps bolster again the motivation of your paper - just to outline a project is not enough in the scope of the journal. Ok, we will incorporate this, to clarify that we provide adequate material to reproduce the course elsewhere and highlight our experiences with this.

Commented [KS78R77]: Grace/Kim

Commented [KS79R77]: Updated conclusions

- Political and discipline boundaries must be set aside to comprehend the geological evolution of the Arctic.
- Teaching Arctic geology requires provision of circum-Arctic data spanning both spatial (lateral and vertical) and temporal (i.e. geological evolution) scales.
- The multi-disciplinary course “Arctic Tectonics and Volcanism” exposes the students to various tools and methods in order to decipher one particular aspect of Arctic geology through an individual research project.
- Four NOR-R-AM students provided specific examples into how the course and the NOR-R-AM project impacted their respective careers, primarily through networking opportunities, grants, and supervision of research projects.

- We provide three open data sets that may facilitate circum-Arctic [geoscience](#) teaching beyond UNIS.

Author contributions

- 1065 KS - Conceptualization, Investigation, Resources, Data Curation, Writing - Original Draft, Visualization, Supervision, Project administration, Funding acquisition
GS - Investigation, Resources, Data Curation, Writing - Original Draft, Visualization, Supervision, Project administration
FA - Writing - Original Draft
- 1070 OA - Writing - Original Draft
PA - Writing - Review and Editing, Supervision
BC - Writing - Review and Editing
VE - Writing - Review and Editing
JIF - Writing - Review and Editing
- 1075 SAG - Writing - Review and Editing
RKH - Writing - Review and Editing, Visualization
KI - Writing - Original Draft
JJ - Writing - Original Draft
MTJ - Writing - Original Draft
- 1080 MO - Writing - Original Draft
AM - Writing - Review and Editing
ASA - Writing - Original Draft
ASC - Writing - Review and Editing
DS - Writing - Original Draft
- 1085 MVK – Writing – Review and Editing, Supervision

CG - Writing - Original Draft, Visualization, Supervision, Project administration, Funding acquisition

Competing interests

The authors declare that they have no conflict of interest.

Ethical statement

1090 While the course focussed on a geopolitically and controversy-prone area, we do not foresee any ethical
issues with this project as it pertains to students' experiences in a course. The questionnaire, which was
both anonymous and voluntary, was developed in line with the Norwegian National Ethics Committee's
Guidelines for Research Ethics in the Social Sciences and Humanities (which is the most relevant set of
ethical guidelines for teaching related research projects). Further, the project was reviewed by UNIS'
1095 internal ethical committee. No specific permission from a research ethics board is required for this kind
of research in Norway and thus could not be sought. Four graduate students with significant NOR-R-
AM involvement were invited as co-authors to this contribution based on their significant involvement
in several activities.

Acknowledgements

1100 We sincerely thank all the AGx51 students over the years for their contributions, including answering
the questionnaire. UNIS logistics department supported all our field activities and undertook the
necessary safety training. Schlumberger and Cegal generously provided an academic license for Petrel
and the Blueback toolbox, respectively. [We thank the editor, Aleksandra Smyrak-Sikora, and an
anonymous reviewer, for their comments which improved this manuscript.](#)

1105 **Funding**

The NOR-R-AM and NOR-R-AM2 project were funded through the INTPART programme of the
Research Council of Norway (261729 and 309477). We acknowledge support from the Research
Council of Norway (RCN), project number 223272 (Centre for Earth Evolution and Dynamics, CEED),

Commented [KS80]: Grace - if you want to add the iEarth funding here for the science workshop then feel free to add it here fits better here than in the table

332523 (Centre for Planetary Habitability, PHAB), 326238 (POLARIS – Evolution of the Arctic in
1110 Deep Time), (331679 (Svalbox 2.0) and 325984 (DYPOLE – Dynamics of polar confined basins).
Additional funding was provided by the University of the Arctic (UArctic, HALIPdat project) and by
UNIS.

Data availability

The educational material associated with the course (i.e. Petrel and GPlates data packages) is freely
1115 available from the Zenodo repository (Senger [and](#) Shephard 2023). Other data are available on request
by contacting the corresponding author.

References

- Abdelmalak, M. M., Minakov, A., Faleide, J. I., and Drachev, S. S.: Lomonosov Ridge Composite
Tectono-Sedimentary Element, Arctic Ocean, Geological Society, London, *Memoirs*, 57, M57-2022-
1120 2072, doi:10.1144/M57-2022-72, 2024.
- Abdelmalak, M. M., Gac, S., Faleide, J. I., Shephard, G. E., Tsikalas, F., Polteau, S., Zastrozhnov, D.,
and Torsvik, T. H.: Quantification and Restoration of the Pre-Drift Extension Across the NE Atlantic
Conjugate Margins During the Mid-Permian-Early Cenozoic Multi-Rifting Phases, *Tectonics*, 42,
e2022TC007386, <https://doi.org/10.1029/2022TC007386>, 2023.
- 1125 Anell, I., Braathen, A., and Olaussen, S.: The Triassic-Early Jurassic of the northern Barents Shelf: a
regional understanding of the Longyearbyen CO₂ reservoir, *Norwegian Journal of Geology*, 94, 83-98,
<http://urn.nb.no/URN:NBN:no-64623>, 2014.
- Anfinson, O. A., Leier, A. L., Embry, A. F., and Dewing, K.: Detrital zircon geochronology and
provenance of the Neoproterozoic to Late Devonian Franklinian Basin, Canadian Arctic Islands, *GSA*
1130 *Bulletin*, 124, 415-430, 10.1130/b30503.1, 2012.
- Anfinson, O. A., Odum, M. L., Piepjohn, K., Poulaki, E. M., Shephard, G. E., Stockli, D. F., Levang,
D., Jensen, M. A., and Pavlovskaja, E. A.: Provenance Analysis of the Andrée Land Basin and
Implications for the Paleogeography of Svalbard in the Devonian, *Tectonics*, 41, e2021TC007103,
<https://doi.org/10.1029/2021TC007103>, 2022.
- 1135 Atchison, C. L. and Libarkin, J. C.: Fostering accessibility in geoscience training programs, *Eos*,
Transactions American Geophysical Union, 94, 400-400, 2013.
- Beranek, L. P., Gee, D. G., and Fisher, C. M.: Detrital zircon U-Pb-Hf isotope signatures of Old Red
Sandstone strata constrain the Silurian to Devonian paleogeography, tectonics, and crustal evolution of
the Svalbard Caledonides, *GSA Bulletin*, 132, 1987-2003, 10.1130/b35318.1, 2020.

- 1140 Betlem, P., Rodes, N., Birchall, T., Dahlin, A., Smyrak-Sikora, A., and Senger, K.: The Svalbox Digital Model Database: a geoscientific window to the High Arctic, Geosphere, <https://doi.org/10.1130/GES02606.1>, 2023.
 Blakey, R.: Paleotectonic and paleogeographic history of the Arctic region, *Atlantic Geology*, 57, 7-39, <https://doi.org/10.4138/atlgeol.2021.002>, 2021.
- 1145 Blischke, A., Brandsdóttir, B., Stoker, M. S., Gaina, C., Erlendsson, Ö., Tegner, C., Halldórsson, S. A., Helgadóttir, H. M., Gautason, B., Planke, S., Koppers, A. A. P., and Hopper, J. R.: Seismic Volcanostratigraphy: The Key to Resolving the Jan Mayen Microcontinent and Iceland Plateau Rift Evolution, *Geochemistry, Geophysics, Geosystems*, 23, e2021GC009948, <https://doi.org/10.1029/2021GC009948>, 2022.
- 1150 Bouziat, A., Schmitz, J., Deschamps, R., and Labat, K.: Digital transformation and geoscience education: New tools to learn, new skills to grow, *European Geologist* *European Geologist*, 15, 2020.
 Boyden, J. A., Müller, R. D., Gurnis, M., Torsvik, T. H., Clark, J. A., Turner, M., Ivey-Law, H., Watson, R. J., and Cannon, J. S.: Next-generation plate-tectonic reconstructions using GPlates, 2011.
 Braathen, A., Bergh, S. G., and Maher, H. D., Jr: Application of a critical wedge taper model to the
- 1155 Tertiary transpressional fold-thrust belt on Spitsbergen, Svalbard, *Geological Society of America Bulletin*, 111, 1468–1485, 1999.
 Brekke, H. and Banet, C.: The Law of the Seabed: Access, Uses, and Protection of Seabed Resources, in: Chapter 4 Setting Maritime Limits and Boundaries: Experiences from Norway, Brill | Nijhoff, 85-103, https://doi.org/10.1163/9789004391567_006
- 1160 <https://doi.org/10.1163/9789004391567>, 2020.
 Brekke, T., Krajewski, K. P., and Hubred, J. H.: Organic geochemistry and petrography of thermally altered sections of the Middle Triassic Botneheia Formation on south-western Edgeøya, Svalbard, *Norwegian Petroleum Directorate Bulletin*, 11, 111-128, <https://www.npd.no/globalassets/1-ndp/publikasjoner/ndp-bulletins/ndp-bulletin-11-2015.pdf>, 2014.
- 1165 Brustnitsyna, E., Ershova, V., Khudoley, A., Maslov, A., Andersen, T., Stockli, D., and Kristoffersen, M.: Age and provenance of the Precambrian Middle Timan clastic succession: Constraints from detrital zircon and rutile studies, *Precambrian Research*, 371, 106580, <https://doi.org/10.1016/j.precamres.2022.106580>, 2022.
 Buckley, S. J., Ringdal, K., Naumann, N., Dolva, B., Kurz, T. H., Howell, J. A., and Dewez, T. J.:
- 1170 LIME: Software for 3-D visualization, interpretation, and communication of virtual geoscience models, *Geosphere*, doi.org/10.1130/GES02002.1, 2019.
 Colpron, M. and Nelson, J. L.: A Palaeozoic Northwest Passage: incursion of Caledonian, Baltican and Siberian terranes into eastern Panthalassa, and the early evolution of the North American Cordillera, *Geological Society, London, Special Publications*, 318, 273-307, doi:10.1144/SP318.10, 2009.
- 1175 Corfu, F., Polteau, S., Planke, S., Faleide, J. I., Svensen, H., Zayoncheck, A., and Stolbov, N.: U–Pb geochronology of Cretaceous magmatism on Svalbard and Franz Josef Land, Barents Sea large igneous province, *Geological Magazine*, 150, 1127-1135, <https://doi.org/10.1017/S0016756813000162>, 2013.
 Dallmann, W.: *Geoscience Atlas of Svalbard*, Norsk Polarinstitutt Rapportserie, 148, 292, <http://hdl.handle.net/11250/2580810>, 2015.
- 1180 Dallmann, W. K., Dypvik, H., Gjelberg, J. G., Harland, W. B., Johannessen, E. P., Keilen, H. B., Larssen, G. B., Lønøy, A., Midbøe, P. S., Mørk, A., Nagy, J., Nilsson, I., Nøttvedt, A., Olausen, S.,

- Pcelina, T. M., Steel, R. J., and Worsley, D.: Lithostratigraphic Lexicon of Svalbard: Review and recommendations for nomenclature use, Norsk Polarinstitut, Tromsø, 318 pp.1999.
- Dodson, M. H.: Closure temperature in cooling geochronological and petrological systems, Contributions to Mineralogy and Petrology, 40, 259-274, 10.1007/BF00373790, 1973.
- 1185 Døssing, A., Gaina, C., and Brozena, J. M.: Building and breaking a large igneous province: An example from the High Arctic, Geophysical Research Letters, 44, 6011-6019, <https://doi.org/10.1002/2016GL072420>, 2017.
- 1190 Døssing, A., Gaina, C., Jackson, H. R., and Andersen, O. B.: Cretaceous ocean formation in the High Arctic, Earth and Planetary Science Letters, 551, 116552, <https://doi.org/10.1016/j.epsl.2020.116552>, 2020.
- Eidesen, P. and Hjelle, S. S.: How to make virtual field guides, and use them to bridge field-and classroom teaching, 10.22541/au.168001737.79628030/v1, 2023.
- 1195 Ershova, V., Anfinson, O., Prokopiev, A., Khudoley, A., Stockli, D., Faleide, J. I., Gaina, C., and Malyshev, N.: Detrital zircon (U-Th)/He ages from Paleozoic strata of the Severnaya Zemlya Archipelago: Deciphering multiple episodes of Paleozoic tectonic evolution within the Russian High Arctic, Journal of Geodynamics, 119, 210-220, 2018.
- 1200 Ershova, V., Prokopiev, A., Stockli, D., Kurapov, M., Kosteva, N., Rogov, M., Khudoley, A., and Petrov, E. O.: Provenance of the Mesozoic Succession of Franz Josef Land (North-Eastern Barents Sea): Paleogeographic and Tectonic Implications for the High Arctic, Tectonics, 41, e2022TC007348, <https://doi.org/10.1029/2022TC007348>, 2022.
- 1205 Evenchick, C. A., Davis, W. J., Bédard, J. H., Hayward, N., and Friedman, R. M.: Evidence for protracted High Arctic large igneous province magmatism in the central Sverdrup Basin from stratigraphy, geochronology, and paleodepths of saucer-shaped sills, Geological Society of America Bulletin, 10.1130/b31190.1, 2015.
- Ford, J. D., Pearce, T., Canosa, I. V., and Harper, S.: The rapidly changing Arctic and its societal implications, WIREs Climate Change, 12, e735, 2021.
- Gaina, C.: Arctic Continental Margins, Continental Rifted Margins 2: Case Examples, 133-148, 2022.
- 1210 Gaina, C., Werner, S. C., Saltus, R., Maus, S., and the CAMP-GM GROUP: Chapter 3 Circum-Arctic mapping project: new magnetic and gravity anomaly maps of the Arctic, Geological Society, London, Memoirs, 35, 39-48, 10.1144/m35.3, 2011.
- Gee, D.: Caledonides of Scandinavia, Greenland, and Svalbard, 2015.
- 1215 Gee, D. G., Bogolepova, O. K., and Lorenz, H.: The Timanide, Caledonide and Uralide orogens in the Eurasian high Arctic, and relationships to the palaeo-continents Laurentia, Baltica and Siberia, Geological Society, London, Memoirs, 32, 507-520, doi:10.1144/GSL.MEM.2006.032.01.31, 2006.
- Gilmullina, A., Klausen, T. G., Paterson, N. W., Suslova, A., and Eide, C. H.: Regional correlation and seismic stratigraphy of Triassic Strata in the Greater Barents Sea: Implications for sediment transport in Arctic basins, Basin research, 33, 1546-1579, <https://doi.org/10.1111/bre.12526>, 2021.
- 1220 Gjørstad-Clark, E., Birkeland, E. P., Nystuen, J. P., Faleide, J. I., and Midtkandal, I.: Triassic platform-margin deltas in the western Barents Sea, Marine and Petroleum Geology, 28, 1294-1314, <http://dx.doi.org/10.1016/j.marpetgeo.2011.03.006>, 2011.
- Gold, A. U., Pfirman, S., and Scowcroft, G. A.: The imperative for polar education, Journal of Geoscience Education, 69, 97-99, 10.1080/10899995.2021.1903242, 2021.

- Gold, A. U., Kirk, K., Morrison, D., Lynds, S., Sullivan, S. B., Grachev, A., and Persson, O.: Arctic Climate Connections Curriculum: A Model for Bringing Authentic Data Into the Classroom, *Journal of Geoscience Education*, 63, 185-197, 10.5408/14-030.1, 2015.
- Grundvåg, S. A., Marin, D., Kairanov, B., Śliwińska, K. K., Nøhr-Hansen, H., Jelby, M. E., Escalona, A., and Olausson, S.: The Lower Cretaceous succession of the northwestern Barents Shelf: Onshore and offshore correlations, *Marine and Petroleum Geology*, 86, 834-857, <https://doi.org/10.1016/j.marpetgeo.2017.06.036>, 2017.
- Gunderson, K. L., Holmes, R. C., and Loisel, J.: Recent digital technology trends in geoscience teaching and practice, *GSA Today*, 30, 39-41, 2020.
- Hall, C. A., Illingworth, S., Mohadjer, S., Roxy, M. K., Poku, C., Otu-Larbi, F., Reano, D., Freilich, M., Veisaga, M. L., Valencia, M., and Morales, J.: GC Insights: Diversifying the geosciences in higher education: a manifesto for change, *Geosci. Commun.*, 5, 275-280, 10.5194/gc-5-275-2022, 2022.
- Harrison, J. C., St-Onge, M. R., Petrov, O., Strelnikov, S., Lopatin, B., Wilson, F., Tella, S., Paul, D., Lynds, T., Shokalsky, S., Hults, C., Bergman, S., Jepsen, H. F., and Solli, A.: Geological map of the Arctic, Geological Survey of Canada, Open File, 5816, 2008.
- Heininen, L., Everett, K., Padrtova, B., and Reissell, A.: Arctic Policies and Strategies—Analysis, Synthesis, and Trends, 2020.
- Helland-Hansen, W. and Grundvåg, S.-A.: The Svalbard Eocene-Oligocene (?) Central Basin succession: Sedimentation patterns and controls, *Basin Research*, 33, 729-753, <http://dx.doi.org/10.1111/bre.12492>, 2020.
- Henriksen, E., Ryseth, A. E., Larssen, G. B., Heide, T., Rønning, K., Sollid, K., and Stoupakova, A. V.: Chapter 10 Tectonostratigraphy of the greater Barents Sea: implications for petroleum systems, in: *Arctic Petroleum Geology*, edited by: Spencer, A. M., Embry, A. F., Gautier, D. L., Stoupakova, A. V., and Sørensen, K., 1, The Geological Society, London, 163-195, 10.1144/m35.10, 2011.
- Hesselbo, S. P., Robinson, S. A., Surlyk, F., and Piasecki, S.: Terrestrial and marine extinction at the Triassic-Jurassic boundary synchronized with major carbon-cycle perturbation: A link to initiation of massive volcanism?, *Geology*, 30, 251-254, 10.1130/0091-7613(2002)030<0251:TAMEAT>2.0.CO;2, 2002.
- Horota, R. K., Senger, K., Smyrak-Sikora, A., Furze, M., Retelle, M., Kloet, M. A. V., and Jonassen, M. O.: VR Svalbard - a photosphere-based atlas of a high Arctic geo-landscape, *First Break*, 2024.
- Horota, R. K., Senger, K., Rodes, N., Betlem, P., Smyrak-Sikora, A., Jonassen, M. O., Kramer, D., and Braathen, A.: West Spitsbergen fold and thrust belt: A digital educational data package for teaching structural geology, *Journal of Structural Geology*, 167, 104781, <https://doi.org/10.1016/j.jsg.2022.104781>, 2023.
- Hosseini, K., Matthews, K. J., Sigloch, K., Shephard, G. E., Domeier, M., and Tsekhmistrenko, M.: SubMachine: Web-Based Tools for Exploring Seismic Tomography and Other Models of Earth's Deep Interior, *Geochemistry, Geophysics, Geosystems*, 19, 1464-1483, <https://doi.org/10.1029/2018GC007431>, 2018.
- Iyer, K., Svensen, H., and Schmid, D. W.: SILLi 1.0: a 1-D numerical tool quantifying the thermal effects of sill intrusions, *Geoscientific Model Development*, 11, 43, 2018.
- Jakobsson, M., Mayer, L., Coakley, B., Dowdeswell, J. A., Forbes, S., Fridman, B., Hodnesdal, H., Noormets, R., Pedersen, R., Rebesco, M., Schenke, H. W., Zarayskaya, Y., Accettella, D., Armstrong,

Formatted: Norwegian (Bokmål)

- A., Anderson, R. M., Bienhoff, P., Camerlenghi, A., Church, I., Edwards, M., Gardner, J. V., Hall, J. K., Hell, B., Hestvik, O., Kristoffersen, Y., Marcussen, C., Mohammad, R., Mosher, D., Nghiem, S. V., Pedrosa, M. T., Travaglini, P. G., and Weatherall, P.: The International Bathymetric Chart of the Arctic Ocean (IBCAO) Version 3.0, *Geophysical Research Letters*, 39, <https://doi.org/10.1029/2012GL052219>, 2012.
- 1270 Jones, M. T., Augland, L. E., Shephard, G. E., Burgess, S. D., Eliassen, G. T., Jochmann, M. M., Friis, B., Jerram, D. A., Planke, S., and Svensen, H. H.: Constraining shifts in North Atlantic plate motions during the Palaeocene by U-Pb dating of Svalbard tephra layers, *Scientific Reports*, 7, 6822, 2017.
- 1275 Khudoley, A. K., Sobolev, N. N., Petrov, E. O., Ershova, V. B., Makariev, A. A., Makarieva, E. V., Gaina, C., and Sobolev, P. O.: A reconnaissance provenance study of Triassic–Jurassic clastic rocks of the Russian Barents Sea, *GFF*, 141, 263–271, 10.1080/11035897.2019.1621372, 2019.
- Klausen, T. G., Nyberg, B., and Helland-Hansen, W.: The largest delta plain in Earth’s history, *Geology*, 47, 470–474, <https://doi.org/10.1130/G45507.1>, 2019.
- 1280 Kristoffersen, Y.: Chapter 45 Geophysical exploration of the Arctic Ocean: the physical environment, survey techniques and brief summary of knowledge, *Geological Society, London, Memoirs*, 35, 685–702, 10.1144/m35.45, 2011.
- Kristoffersen, Y., Nilsen, E. H., and Hall, J. K.: The High Arctic Large Igneous Province: first seismic-stratigraphic evidence for multiple Mesozoic volcanic pulses on the Lomonosov Ridge, central Arctic Ocean, *Journal of the Geological Society*, 180, jgs2022–2153, doi:10.1144/jgs2022–153, 2023.
- 1285 Krumpfen, T., von Albedyll, L., Goessling, H. F., Hendricks, S., Juhls, B., Spreen, G., Willmes, S., Belter, H. J., Dethloff, K., Haas, C., Kaleschke, L., Katlein, C., Tian-Kunze, X., Ricker, R., Rostovsky, P., Rückert, J., Singha, S., and Sokolova, J.: MOSAiC drift expedition from October 2019 to July 2020: sea ice conditions from space and comparison with previous years, *The Cryosphere*, 15, 3897–3920, 10.5194/tc-15-3897-2021, 2021.
- 1290 Kurapov, M., Ershova, V., Khudoley, A., Luchitskaya, M., Stockli, D., Makariev, A., Makarieva, E., and Vishnevskaya, I.: Latest Permian–Triassic magmatism of the Taimyr Peninsula: New evidence for a connection to the Siberian Traps large igneous province, *Geosphere*, 17, 2062–2077, 10.1130/ges02421.1, 2021.
- 1295 Lebedeva-Ivanova, N., Gaina, C., Minakov, A., and Kashubin, S.: ArcCRUST: Arctic Crustal Thickness From 3-D Gravity Inversion, *Geochemistry, Geophysics, Geosystems*, 20, 3225–3247, <https://doi.org/10.1029/2018GC008098>, 2019.
- Lord, G., Janocha, J., Rodes, N., and Betlem, P.: Svalbox-DOM_2020-0015_Lagmannstoppen-East [dataset], <https://doi.org/10.5281/zenodo.5700918>, 2021.
- 1300 Lundschieen, B. A., Høy, T., and Mørk, A.: Triassic hydrocarbon potential in the Northern Barents Sea; integrating Svalbard and stratigraphic core data, *Norwegian Petroleum Directorate Bulletin*, 11, 3–20, 2014.
- Malm, R. H.: Developing an Arctic Geology course: exploring the role of fieldwork in a challenging learning space, *Uniped*, 44, 178–189, 10.18261/issn.1893-8981-2021-03-04, 2021.
- likertplot.com - Plot Likert Scales, last
- 1305 McCaffrey, K., Jones, R., Holdsworth, R., Wilson, R., Clegg, P., Imber, J., Holliman, N., and Trinks, I.: Unlocking the spatial dimension: digital technologies and the future of geoscience fieldwork, *Journal of the Geological Society*, 162, 927–938, 2005.

Formatted: Norwegian (Bokmål)

Formatted: Norwegian (Bokmål)

Formatted: Norwegian (Bokmål)

Field Code Changed

- Midtkandal, I., Faleide, J. I., Faleide, T. S., Serck, C. S., Planke, S., Corseri, R., Dimitriou, M., and Nystuen, J. P.: Lower Cretaceous Barents Sea strata: epicontinental basin configuration, timing, correlation and depositional dynamics, *Geological Magazine*, 1-19, 2019.
- 1310 Müller, R. D., Cannon, J., Qin, X., Watson, R. J., Gurnis, M., Williams, S., Pfaffelmoser, T., Seton, M., Russell, S. H. J., and Zahirovic, S.: GPlates: Building a Virtual Earth Through Deep Time, *Geochemistry, Geophysics, Geosystems*, 19, 2243-2261, <https://doi.org/10.1029/2018GC007584>, 2018.
- 1315 Nikishin, A. M., Gaina, C., Petrov, E. I., Malyshev, N. A., and Freiman, S. I.: Eurasia Basin and Gakkel Ridge, Arctic Ocean: Crustal asymmetry, ultra-slow spreading and continental rifting revealed by new seismic data, *Tectonophysics*, 746, 64-82, <https://doi.org/10.1016/j.tecto.2017.09.006>, 2018.
- Olaussen, S., Grundvåg, S.-A., Senger, K., Anell, I., Betlem, P., Birchall, T., Braathen, A., Dallmann, W., Jochmann, M., Johannessen, E. P., Lord, G., Mørk, A., Osmundsen, P. T., Smyrak-Sikora, A., and Stemmerik, L.: Svalbard Composite Tectono-Sedimentary Element, Barents Sea, *Geological Society, London, Memoirs*, 57, M57-2021-2036, doi:10.1144/M57-2021-36, 2024.
- 1320 Petrov, O. V., Pubellier, M., Shokalsky, S. P., Morozov, A. F., Kazmin, Y. B., Kashubin, S. N., Vernikovskiy, V. A., Smelror, M., Brekke, H., Kaminsky, V. D., and Pospelov, I. I.: New Tectonic Map of the Arctic, in: *Tectonics of the Arctic*, edited by: Petrov, O. V., and Smelror, M., Springer International Publishing, Cham, 1-27, 10.1007/978-3-030-46862-0_1, 2021.
- 1325 Piepjohn, K., von Gosen, W., and Tessensohn, F.: The Eureka deformation in the Arctic: an outline, *Journal of the Geological Society*, 173, 1007-1024, 2016.
- Proelss, A.: Governing the Arctic Ocean, *Nature Geoscience*, 2, 310-313, 10.1038/ngeo510, 2009.
- Prokopiev, A. V., Ershova, V. B., and Stockli, D. F.: Provenance of the Devonian–Carboniferous clastics of the southern part of the Prikolyma terrane (Verkhoyansk–Kolyma orogen) based on U–Pb dating of detrital zircons, *GFF*, 141, 272-278, 10.1080/11035897.2019.1621373, 2019.
- 1330 Prokopiev, A. V., Ershova, V. B., Anfinson, O., Stockli, D., Powell, J., Khudoley, A. K., Vasiliev, D. A., Sobolev, N. N., and Petrov, E. O.: Tectonics of the New Siberian Islands archipelago: Structural styles and low-temperature thermochronology, *Journal of Geodynamics*, 121, 155-184, <https://doi.org/10.1016/j.jog.2018.09.001>, 2018.
- 1335 Ritsema, J., Deuss, A., van Heijst, H. J., and Woodhouse, J. H.: S40RTS: a degree-40 shear-velocity model for the mantle from new Rayleigh wave dispersion, teleseismic traveltime and normal-mode splitting function measurements, *Geophysical Journal International*, 184, 1223-1236, 10.1111/j.1365-246X.2010.04884.x, 2011.
- Rogov, M., Ershova, V., Gaina, C., Vereshchagin, O., Vasileva, K., Mikhailova, K., and Krylov, A.: Glendonites throughout the Phanerozoic, *Earth-Science Reviews*, 241, 104430, <https://doi.org/10.1016/j.earscirev.2023.104430>, 2023a.
- 1340 Rogov, M. A., Panchenko, I. V., Augland, L. E., Ershova, V. B., and Yashunsky, V. Y.: The first CA-ID-TIMS U-Pb dating of the Tithonian/Berriasian boundary beds in a Boreal succession, *Gondwana Research*, 118, 165-173, <https://doi.org/10.1016/j.gr.2023.02.010>, 2023b.
- 1345 Rogov, M. A., Ershova, V. B., Shchepetova, E. V., Zakharov, V. A., Pokrovsky, B. G., and Khudoley, A. K.: Earliest Cretaceous (late Berriasian) glendonites from Northeast Siberia revise the timing of initiation of transient Early Cretaceous cooling in the high latitudes, *Cretaceous Research*, 71, 102-112, 2017.

- 1350 Saltus, R. W., Miller, E. L., Gaina, C., and Brown, P. J.: Chapter 4 Regional magnetic domains of the Circum-Arctic: a framework for geodynamic interpretation, Geological Society, London, Memoirs, 35, 49-60, 10.1144/m35.4, 2011.
- Schaeffer, A. J. and Lebedev, S.: Global shear speed structure of the upper mantle and transition zone, *Geophysical Journal International*, 194, 417-449, 10.1093/gji/ggt095, 2013.
- 1355 Schneider, D. A., Faehnrich, K., Majka, J., Manecki, M., Piepjohn, K., Strauss, J. V., Reinhardt, L., and McClelland, W. C.: 40Ar/39Ar geochronologic evidence of Eureka deformation within the West Spitsbergen Fold and Thrust Belt, in: Circum-Arctic Structural Events: Tectonic Evolution of the Arctic Margins and Trans-Arctic Links with Adjacent Orogens, Geological Society of America, 0, 10.1130/2018.2541(08), 2019.
- 1360 Senger, K. and Galland, O.: Stratigraphic and Spatial extent of HALIP Magmatism in central Spitsbergen, *Geochemistry, Geophysics, Geosystems*, e2021GC010300, <https://doi.org/10.1029/2021GC010300>, 2022.
- Senger, K. and Nordmo, I.: Using digital field notebooks in geoscientific learning in polar environments, *Journal of Geoscience Education*, 69, 166-177, 2021.
- 1365 Senger, K. and Shephard, G.: Arctic Tectonics and Volcanism: a multi-scale, multidisciplinary educational approach (Petrel and GPlates data package), Zenodo [dataset], <https://doi.org/10.5281/zenodo.10259590>, 2023.
- Senger, K., Planke, S., Polteau, S., Ogata, K., and Svensen, H.: Sill emplacement and contact metamorphism in a siliciclastic reservoir on Svalbard, Arctic Norway, *Norwegian Journal of Geology*, 94, 155-169, 2014a.
- 1370 Senger, K., Tveranger, J., Ogata, K., Braathen, A., and Planke, S.: Late Mesozoic magmatism in Svalbard: A review, *Earth-Science Reviews*, 139, 123-144, 2014b.
- Senger, K., Betlem, P., Birchall, T., Gonzaga Jr, L., Grundvåg, S.-A., Horota, R. K., Laake, A., Kuckero, L., Mørk, A., Planke, S., Rodes, N., and Smyrak-Sikora, A.: Digitising Svalbard's Geology: the Festningen Digital Outcrop Model, *First Break*, 40, 47-55, <https://doi.org/10.3997/1365-2397.fb2022021>, 2022.
- 1375 Senger, K., Kulhanek, D., Jones, M. T., Smyrak-Sikora, A., Planke, S., Zuchuat, V., Foster, W. J., Grundvåg, S. A., Lorenz, H., Ruhl, M., Sliwinska, K. K., Vickers, M. L., and Xu, W.: Deep-time Arctic climate archives: high-resolution coring of Svalbard's sedimentary record – SVALCLIME, a workshop report, *Sci. Dril.*, 32, 113-135, 10.5194/sd-32-113-2023, 2023.
- 1380 Senger, K., Betlem, P., Grundvåg, S.-A., Horota, R. K., Buckley, S. J., Smyrak-Sikora, A., Jochmann, M. M., Birchall, T., Janocha, J., Ogata, K., Kuckero, L., Johannessen, R. M., Lecomte, I. C., Cohen, S. M., and Olausen, S.: Teaching with digital geology in the high Arctic: Opportunities and challenges, *Geoscience Communication*, 4, 399-420, <http://dx.doi.org/10.5194/gc-4-399-2021>, 2021a.
- 1385 Senger, K., Betlem, P., Birchall, T., Buckley, S. J., Coakley, B., Eide, C. H., Flaig, P. P., Forien, M., Galland, O., Gonzaga Jr, L., Jensen, M., Kurz, T., Lecomte, I., Mair, K., Malm, R., Mulrooney, M., Naumann, N., Nordmo, I., Nolde, N., Ogata, K., Rabbel, O., Schaaf, N. W., and Smyrak-Sikora, A.: Using digital outcrops to make the high Arctic more accessible through the Svalbox database, *Journal of Geoscience Education*, 69, 123-137, <https://doi.org/10.1080/10899995.2020.1813865>, 2021b.
- 1390 Serreze, M. C. and Barry, R. G.: Processes and impacts of Arctic amplification: A research synthesis, *Global and Planetary Change*, 77, 85-96, <https://doi.org/10.1016/j.gloplacha.2011.03.004>, 2011.

- Shephard, G. E., Müller, R. D., and Seton, M.: The tectonic evolution of the Arctic since Pangea breakup: Integrating constraints from surface geology and geophysics with mantle structure, *Earth-Science Reviews*, 124, 148-183, 2013.
- 1395 Smyrak-Sikora, A., Johannessen, E. P., Olaussen, S., Sandal, G., and Braathen, A.: Sedimentary architecture during Carboniferous rift initiation—the arid Billefjorden Trough, Svalbard, *Journal of the Geological Society*, 176, 225-252, <https://doi.org/10.1144/jgs2018-100>, 2019.
- Straume, E. O., Gaina, C., Medvedev, S., and Nisancioglu, K. H.: Global Cenozoic Paleobathymetry with a focus on the Northern Hemisphere Oceanic Gateways, *Gondwana Research*, 86, 126-143, <https://doi.org/10.1016/j.gr.2020.05.011>, 2020.
- 1400 Straume, E. O., Nummelin, A., Gaina, C., and Nisancioglu, K. H.: Climate transition at the Eocene–Oligocene influenced by bathymetric changes to the Atlantic–Arctic oceanic gateways, *Proceedings of the National Academy of Sciences*, 119, e2115346119, doi:10.1073/pnas.2115346119, 2022.
- Struijk, E. L. M., Tesauro, M., Lebedeva-Ivanova, N. N., Gaina, C., Beekman, F., and Cloetingh, S. A. P. L.: The Arctic lithosphere: Thermo-mechanical structure and effective elastic thickness, *Global and Planetary Change*, 171, 2-17, <https://doi.org/10.1016/j.gloplacha.2018.07.014>, 2018.
- 1405 Svensen, H., Planke, S., Malthé-Sorensen, A., Jamtveit, B., Myklebust, R., Rasmussen Eidem, T., and Rey, S. S.: Release of methane from a volcanic basin as a mechanism for initial Eocene global warming, *Nature*, 429, 542–545, 2004.
- Tavani, S., Billi, A., Corradetti, A., Mercuri, M., Bosman, A., Cuffaro, M., Seers, T., and Carminati, E.: Smartphone assisted fieldwork: Towards the digital transition of geoscience fieldwork using LiDAR-equipped iPhones, *Earth-Science Reviews*, 103969, 2022.
- 1410 Vasileva, K., Zaretskaya, N., Ershova, V., Rogov, M., Stockli, L. D., Stockli, D., Khaitov, V., Maximov, F., Chernyshova, I., Soloshenko, N., Frishman, N., Panikorovsky, T., and Vereshchagin, O.: New model for seasonal ikaite precipitation: Evidence from White Sea glendonites, *Marine Geology*, 449, 106820, <https://doi.org/10.1016/j.margeo.2022.106820>, 2022.
- 1415 Whitmeyer, S. J., Atchison, C., and Collins, T. D.: Using mobile technologies to enhance accessibility and inclusion in field-based learning, *GSA Today*, 30, <https://doi.org/10.1130/GSATG462A.1>, 2020.
- Wignall, P. B.: Large igneous provinces and mass extinctions, *Earth-Science Reviews*, 53, 1-33, 10.1016/s0012-8252(00)00037-4, 2001.

1420